

Revision Date: 11/1/2018

Version 1.5

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9172

Steiner-Chapman Modified Silver Stain Kit **Product Name:** 

**Part Number:** 9172

CAS-No.: Not applicable

SDS Number: 6300

1.2 Recommended Use: **Laboratory Chemicals** 

1.3 Company: **Newcomer Supply** 

2505 Parview Road

Middleton, WI 53562 USA

Telephone: 1-800-383-7799 Fax: 1-608-831-0866

Website: www.newcomersupply.com Email: info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 2

Acute toxicity (oral), Category 4

Acute toxicity (dermal), Category 4

Acute toxicity (inhalation), Category 4

Skin corrosion, Category 1

Serious eye damage, Category 1

Skin sensitisation, Category 1

Carcinogenicity, Category 1A

Specific Target Organ Toxicity - Single exposure, Category 1 Specific Target Organ Toxicity - Single exposure, Category 2

Germ cell mutagenicity, Category 2

#### **GHS Label elements**

Signal Word **DANGER** 

## **Pictogram**









## **Hazard Statement(s):**

- · Highly flammable liquid and vapour
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes severe skin burns and eye damage
- · May cause an allergic skin reaction
- · May cause cancer
- · Causes damage to organs
- · May cause damage to organs through prolonged or repeated exposure
- · Suspected of causing genetic defects

#### **Precautionary Statement(s):**

#### **Prevention:**

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- · Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.



Revision Date: 11/1/2018

Version 1.5

- · Take precautionary measures against static discharge.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- · Use only outdoors or in a well-ventilated area.
- · Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

Part Number: 9172

- · In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.
- · If skin irritation or a rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

- · Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

#### Storage:

- · Store in a well ventilated place. Keep cool.
- · Keep container tightly closed.
- · Store locked up.

#### **Disposal:**

· Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

See component SDS

#### 4. FIRST-AID MEASURES

See component SDS

#### 5. FIRE-FIGHTING MEASURES

See component SDS

### 6. ACCIDENTAL RELEASE MEASURES

See component SDS

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

## 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Revision Date: 11/1/2018

Version 1.5

Part Number: 9172

See component SDS

## 9. PHYSICAL AND CHEMICAL PROPERTIES

See component SDS

#### 10. STABILITY AND REACTIVITY

See component SDS

## 11. TOXICOLOGICAL INFORMATION

See component SDS

## 12. ECOLOGICAL INFORMATION

See component SDS

## 13. DISPOSAL CONSIDERATIONS

See component SDS

## 14. TRANSPORT INFORMATION

#### 14.1 DOT (US)

**UN-Number** 

Proper shipping name

Hazard class Packing group

**Environmental hazards** 

No data available

### 15. REGULATORY INFORMATION

See component SDS

## 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc.

800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 11/1/2018

Version 1.5

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9172

1.1 Product Name: Steiner-Chapman Modified Silver Stain Kit, Sol'n A: Zinc Formalin Sensitizer

Part Number: 9172

**CAS-No.:** Not applicable

SDS Number: 4830

1.2 Recommended Use: Laboratory Chemicals

**1.3 Company:** Newcomer Supply

2505 Parview Road

Middleton, WI 53562 USA

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Acute toxicity (oral), Category 4

Acute toxicity (inhalation), Category 4

Skin corrosion, Category 1

Serious eye damage, Category 1

Skin sensitisation, Category 1

Germ cell mutagenicity, Category 2

Carcinogenicity, Category 1A

Specific Target Organ Toxicity - Single exposure, Category 1

#### 2.2 GHS Label elements

Signal Word DANGER

**Pictogram** 







## **Hazard Statement(s):**

- · Harmful if swallowed
- · Harmful if inhaled
- · Causes severe skin burns and eye damage
- · May cause an allergic skin reaction
- · Suspected of causing genetic defects
- · May cause cancer
- · Causes damage to organs

## **Precautionary Statement(s):**

#### **Prevention:**

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- · Use only outdoors or in a well-ventilated area.
- · Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

· IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



Revision Date: 11/1/2018

Version 1.5

 $\label{thm:constraint} \textbf{IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with the state of th$ 

water/shower.

Part Number: 9172

· Take off contaminated clothing and wash before reuse.

 $\hbox{IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy } \\$ 

to do - continue rinsing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

- · Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

### Storage:

· Store locked up.

#### Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified

None

2.4 >1% of mixture with unknown acute toxicity

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

## **Hazardous Components**

Component		Concentration
Name	Formaldehyde	·
CAS-No.	50-00-0	3-5%
Name	Methyl Alcohol	•
CAS-No.	67-56-1	<1%
Name	Zinc Sulfate	·
CAS-No.	7733-02-0	2-3%

#### 4. FIRST-AID MEASURES

## 4.1 Description of necessary measures

#### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

#### **Skin Contact**

IF ON SKIN: Gently wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or a rash occurs: Get medical advice/attention.

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

## Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

## 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.



Revision Date: 11/1/2018

Version 1.5

## 5.2 Specific hazards arising from the substance or mixture

No data available

Part Number: 9172

## 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

### **NFPA Rating**

Health Fire Reactivity
hazard: 2 hazard: 1 hazard: 0

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

## 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Ensure proper ventilation. Contain spill. Prevent further leakage if possible and safe to do so. Evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

#### 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Formaldehyde	50-00-0	OSHA PEL	TWA	0.75 ppm
		OSHA PEL	STEL	2 ppm
		ACGIH TLV	С	0.3 ppm (0.37 mg/m <sup>3</sup> )
		NIOSH REL	TWA	0.016 ppm
		NIOSH REL	С	0.1 ppm 15-minute
C	ICAC N	ID a sullata mi	Malina	I David and a train

Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (260 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	200 ppm (262 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	50 ppm (328 mg/m <sup>3</sup> )
		NIOSH REL	TWA	200 ppm (260 mg/m <sup>3</sup> )
		NIOSH REL	STEL	250 ppm (325 mg/m <sup>3</sup> )



Revision Date: 11/1/2018

Version 1.5

### 8.2 Exposure Controls

Part Number: 9172

### **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

## 8.3 Personal Protective Equipment

## **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

### **Respiratory Protection**

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Formaldehyde: Where the potential exists for exposure over 0.016 ppm: use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 20 ppm is immediately dangerous to life and health. If the possibility of exposure above 20 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder. In case of emergency, entry into unknown concentrations, or escape, wear a self-contained positive-pressure breathing apparatus.

#### **Other Information**

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state Colorless liquid Odor Pungent odor Odor threshold No data available No data available Melting point/freezing point No data available Initial boiling point and boiling range No data available Flash point No data available **Evaporation rate** No data available No data available Flammability (solid, gas) Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available No data available Vapor pressure Vapor density No data available Relative density No data available Solubility(ies) Water soluble



Revision Date: 11/1/2018

Version 1.5

Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature Viscosity

No data available No data available No data available No data available

#### 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

Part Number: 9172

No data available

### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

## 10.5 Incompatible materials

Formaldehyde reacts violently with nitrogen oxides; oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine); mixtures of perchloric acid and aniline; nitromethane; magnesium carbonate; and hydrogen peroxide. Formaldehyde reacts with phenol and hydrogen chloride to form toxic bis(chloromethyl) ether. Formaldehyde is not compatible with strong acids (such as hydrochloric, sulfuric and nitric); strong bases (such as sodium hydroxide and potassium hydroxide); iodine; iron; silver; isocyanates; amines; anhydrides; and liquid oxygen.

## 10.6 Hazardous decomposition products

No data available

## 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects Inhalation exposure

Formaldehyde: Difficulty in breathing was experienced at 10 to 20 ppm. Upper airway irritation and increased nasal airway resistance were reported at 0.1 to 25 ppm and lower airway and chronic pulmonary obstruction at 5 to 30 ppm. Inhaling formaldehyde can irritate the lungs. Higher exposures may cause a build-up of fluid in the lungs (pulmonary edema), a medical emergency.

#### Oral exposure

Acute oral exposure to formaldehyde can result in serious systemic symptoms or death.

#### **Dermal exposure**

No data available

## Skin corrosion/irritation

Formaldehyde is corrosive and contact can severely irritate and burn the skin.

#### Serious eye damage/irritation

Formaldehyde: 10 to 20 ppm produces almost immediate eye irritation. Most subjects experience irritation of the eyes, nose, and throat at 1 to 3 ppm; many subjects cannot tolerate prolonged exposures to 4 to 5 ppm.

## Respiratory or skin sensitization





Part Number: 9172

Revision Date: 11/1/2018

Version 1.5

Formaldehyde: It has been estimated that exposure for 5 to 10 minutes to 50 to 100 ppm might cause serious injury to the lower respiratory passages. Formaldehyde may cause a skin allergy and an asthmalike allergy. Formaldehyde may cause an asthmalike allergy. Future exposure can cause asthma attacks with shortness of breath, wheezing, coughing, and/or chest tightness.

## **Germ Cell mutagenicity**

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

### Acute toxicity

Formaldehyde:

LD50 rat oral 100 mg/kg

LD50 rat dermal 270 mg/kg

LC50 rat inhalation 0.48 mg/l/4 hours

Zinc Sulfate:

LD50 mouse oral 245 mg/kg

## Carcinogencity

IARC: Formaldehyde: Group 1, carcinogenic to humans

NTP: Formaldehyde: Known human carcinogen

OSHA: Formaldehyde: Specifically regulated carcinogen

# Additional information RTECS: No data available

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste disposal methods Contents



Revision Date: 11/1/2018

Version 1.5

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### 14. TRANSPORT INFORMATION

## 14.1 DOT (US)

Part Number: 9172

UN-Number
Proper shipping name
Hazard class
Packing group
No data available

## 15. REGULATORY INFORMATION

**15.1** No data available

## 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 10/16/2017

Version 1.4

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9172

1.1 **Product Name:** Steiner-Chapman Modified Silver Stain Kit, Sol'n B: Silver Nitrate 1%, Aqueous

**Part Number:** 

CAS-No.: Not applicable

4230 **SDS Number:** 

1.2 Recommended Use: **Laboratory Chemicals** 

1.3 Company: **Newcomer Supply** 

2505 Parview Road

Middleton, WI 53562 USA

1-800-383-7799 Telephone: 1-608-831-0866 Fax:

Website: www.newcomersupply.com **Email:** 

info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300

Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

#### 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Acute toxicity (oral), Category 4 Skin irritation, Category 2

Serious Eye Damage/Eye irritation, Category 2

#### 2.2 GHS Label elements

**Signal Word** WARNING

**Pictogram** 



#### **Hazard Statement(s):**

- · Harmful if swallowed
- · Causes skin irritation
- · Causes serious eve irritation

## **Precautionary Statement(s):**

## **Prevention:**

- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.

#### Response:

- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · IF ON SKIN: Gently wash with plenty of soap and water.
- · Take off contaminated clothing and wash before reuse.
- · If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

- · If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.
- · Specific treatment: see first aid measures in section 4.

#### Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None



Revision Date: 10/16/2017

Version 1.4

## 2.4 >1% of mixture with unknown acute toxicity None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

Part Number: 9172

#### **Hazardous Components**

Componer	it	Concentration
Name	Silver Nitrate	
CAS-No.	7761-88-8	1%

## 4. FIRST-AID MEASURES

#### 4.1 Description of necessary measures

## Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Skin Contact**

IF ON SKIN: Gently wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

## Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

#### 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

## 5.2 Specific hazards arising from the substance or mixture

No data available

#### 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

#### **NFPA Rating**

Health Fire Reactivity hazard: 0 hazard: 0

#### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

#### 6.2 Methods and material for containment and cleaning up



Revision Date: 10/16/2017

Version 1.4

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

#### 7. HANDLING AND STORAGE

Part Number: 9172

#### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

## 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Silver Nitrate	7761-88-8	OSHA PEL	TWA	0.01 mg/m <sup>3</sup>
		ACGIH TLV	TWA	0.01 mg/m <sup>3</sup>
		NIOSH REL	TWA	0.01 mg/m <sup>3</sup>

## 8.2 Exposure Controls

## **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

#### 8.3 Personal Protective Equipment

#### **Eve/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

## **Respiratory Protection**

Respirators should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

#### Other Information

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state Clear, colorless liquid Odor Odorless



Part Number: 9172

## **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

No data available Odor threshold Ηа No data available Melting point/freezing point No data available Initial boiling point and boiling range No data available No data available Flash point **Evaporation rate** No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density No data available Solubility(ies) Water soluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available No data available Decomposition temperature Viscosity No data available

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Keep away from combustible materials, heat, flame, and sparks.

#### 10.5 Incompatible materials

Silver nitrate reacts with acetylene, in the presence of ammonia, to form silver acetylide, a sensitive and powerful detonator. Silver nitrate reacts violently with combustibles; chlorosulfonic acid and other acids (such as hydrochloric, sulfuric and nitric); metals; metal carbides; reducing agents (such as lithium, sodium, aluminum and their hydrides); and oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine). Silver nitrate is not compatible with ethylene oxide; charcoal; ammonium hydroxide; ethanol; aziridine; arsenic; sulfur; and many other compounds. Silver nitrate attacks some forms of plastic, rubber and coatings.

#### 10.6 Hazardous decomposition products

Nitrogen oxide, oxygen, and silver oxides

## 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects Inhalation exposure

No data available

## **Oral exposure**

No data available

#### **Dermal exposure**

No data available

#### Skin corrosion/irritation



Revision Date: 10/16/2017

Version 1.4

Contact with silver nitrate can severely irritate and burn the skin.

## Serious eve damage/irritation

Contact with silver nitrate can severely irritate and burn the eyes with possible eye damage.

## Respiratory or skin sensitization

No data available

Part Number: 9172

## **Germ Cell mutagenicity**

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### Acute toxicity

Silver Nitrate:

LD50 rat oral 1173 mg/kg

### Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

## **Additional information**

RTECS: No data available

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste disposal methods

#### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.



Revision Date: 10/16/2017

Version 1.4

## 14. TRANSPORT INFORMATION

14.1 DOT (US)

Part Number: 9172

UN-Number No data available
Proper shipping name No data available
Hazard class No data available
Packing group No data available
Environmental hazards No data available

## 15. REGULATORY INFORMATION

**15.1** No data available

## 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 10/16/2017

Version 1.4

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9172

Steiner-Chapman Modified Silver Stain Kit, Sol'n C: Gum Mastic 2.5%, 1.1 **Product Name:** 

**Alcoholic** 

**Part Number:** 9172

Not applicable CAS-No.:

3110 **SDS Number:** 

1.2 Recommended Use: **Laboratory Chemicals** 

1.3 Company: **Newcomer Supply** 

2505 Parview Road

Middleton, WI 53562 USA

1-800-383-7799 Telephone: 1-608-831-0866 Fax:

Website: www.newcomersupply.com info@newcomersupply.com **Email:** 

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300

Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

#### 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**GHS Classification**. (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 2 Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4

Acute toxicity (inhalation), Category 4

Serious Eve Damage/Eve irritation, Category 2A

Skin irritation, Category 2

Specific Target Organ Toxicity - Single exposure, Category 2

#### 2.2 GHS Label elements

**Signal Word DANGER** 

**Pictogram** 



### **Hazard Statement(s):**

- · Highly flammable liquid and vapour
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes serious eye irritation
- · Causes skin irritation
- · May cause damage to organs

## **Precautionary Statement(s):**

## **Prevention:**

- · Keep away from heat/sparks/open flames/hot surfaces No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof fume hood/electrical/ventilating/light equipment
- · Use only non-sparking tools
- · Take precautionary measures against static discharge
- · Wear protective gloves/protective clothing/eye protection/face protection
- · Wash skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Do not breathe dust/fume/gas/mist/vapours/spray



Revision Date: 10/16/2017

Version 1.4

## **Response:**

Part Number: 9172

· In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

- · Wash contaminated clothing before reuse.
- $\cdot$  If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

- · If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · IF exposed or concerned: Get medical advice/attention.

### Storage

- · Store in a well ventilated place. Keep cool.
- · Store locked up.

## Disposal:

· Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Description of any hazards not otherwise classified

None None

## 2.4 >1% of mixture with unknown acute toxicity

## 3.1 Substances

#### **Hazardous Components**

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component		Concentration
Name	Ethyl Alcohol	
CAS-No.	64-17-5	87-88%
Name	Methyl Alcohol	
CAS-No.	67-56-1	4-5%
Name	Isopropyl Alcohol	
CAS-No.	67-63-0	4-5%

## 4.1 Description of necessary measures

#### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

#### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

#### Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

## 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.



Revision Date: 10/16/2017

Version 1.4

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIRE-FIGHTING MEASURES

Part Number: 9172

#### Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

## 5.2 Specific hazards arising from the substance or mixture

No data available

## 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

## **NFPA Rating**

Health Fire Reactivity hazard: 2 hazard: hazard: 0

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

## 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces - No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

components with mine values that require monitoring at the workplace					
Component	CAS-No.	Regulatory	Value	Parameters	
Ethyl Alcohol	64-17-5	OSHA PEL	TWA	1000 ppm (1900 mg/m <sup>3</sup> )	
		ACGIH TLV	TWA	1000 ppm (1880 mg/m <sup>3</sup> )	
		NIOSH REL	TWA 1000 ppm (1900 mg/m <sup>3</sup> )		
Component	CAS-No.	Regulatory	Value	Parameters	
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (980 mg/m <sup>3</sup> )	



Part Number: 9172

## **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

ACGIH TLV	STEL	200 ppm (1,230 mg/m <sup>3</sup> )
ACGIH TLV	STEL	50 ppm (1,230 mg/m <sup>3</sup> )
NIOSH REL	TWA	200 ppm (980 mg/m³)
NIOSH REL	STEL	250 ppm (980 mg/m <sup>3</sup> )

Component	CAS-No.	Regulatory	Value	Parameters
Isopropyl Alcohol	67-63-0	OSHA PEL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	400 ppm (983 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	500 ppm (1,230 mg/m <sup>3</sup> )
		NIOSH REL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		NIOSH REL	STEL	500 ppm (980 mg/m <sup>3</sup> )

#### 8.2 Exposure Controls

## **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

## 8.3 Personal Protective Equipment

#### **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

## **Respiratory Protection**

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Ethyl Alcohol: Where the potential exists for exposure over 1,000 ppm: use a NIOSH approved suppliedair respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 3,300 ppm is immediately dangerous to life and health. If the possibility of exposure above 3,300 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder.

In case of emergency, entry into or escape from unknown concentrations select the highest level approved respiratory protection available.

## **Other Information**

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state Translucent, light tan-peach liquid



Revision Date: 10/16/2017

Version 1.4

Part Number: 9172

Odor Odor threshold

рΗ

Melting point/freezing point

Initial boiling point and boiling range

Flash point
Evaporation rate
Flammability (solid, gas)

Upper flammability or explosive limits Lower flammability or explosive limits

Vapor pressure Vapor density Relative density Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature

Viscosity

Alcoholic odor No data available No data available

-114°C (-173.2°F) (Ethyl Alcohol) 78-80°C (172-176°F) (Ethyl Alcohol)

13°C (55.4°F) Closed cup 1.7 (Ethyl Alcohol) Liquid is flammable 19% (Ethyl Alcohol) 3.3% (Ethyl Alcohol)

No data available 1.6 (Ethyl Alcohol) 0.789 (Ethyl Alcohol)

Water soluble
No data available
No data available
No data available
No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

#### 10.5 Incompatible materials

Strong oxidizers, potassium dioxide, bromine pentafluoride, acetyl bromide, acetyl chloride, platinum, sodium concentrated sulfuric acid, potassium and hydrogen peroxides, platinum black, calcium hypochlorite, silver oxide, ammonia, nitric acid, mercuric nitrate, silver nitrate, magnesium perchlorate, isocyanates, mineral acids, and chloroform.

#### 10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### **Inhalation** exposure

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath.

#### Oral exposure

Oral exposure to ethyl alcohol, methyl alcohol, and isopropyl alcohol can cause headache, drowsiness, nausea and vomiting, and unconsciousness. It can also affect concentration and vision.

### **Dermal** exposure

Contact with ethyl alcohol can irritate the skin.

#### Skin corrosion/irritation



Part Number: 9172

## **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

Prolonged or repeated exposure to ethyl alcohol can cause drying and cracking of the skin with peeling, redness and itching.

## Serious eye damage/irritation

Contact with ethyl alcohol can irritate the eyes.

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

No data available

## Reproductive toxicity

Repeated oral exposure to ethyl alcohol may cause spontaneous abortions, as well as birth defects and other developmental problems. This condition is referred to as "fetal alcohol syndrome." There is limited evidence that oral exposure to ethyl alcohol may decrease fertility in males.

## Specific target organ toxicity - single exposure

Exposure to ethyl alcohol may affect the liver and the nervous system.

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### Acute toxicity

Ethyl Alcohol:

LD50 rat oral 3450 mg/kg

LD50 mouse oral 7060 mg/kg

LC50 rat inhalation 20000 ppm/10H

LC50 mouse inhalation 20363 ppm/4H

## Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

#### Additional information

RTECS: No data available

## 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Other adverse effects

No data available



Revision Date: 10/16/2017

Version 1.4

## 13. DISPOSAL CONSIDERATIONS

Part Number: 9172

## 13.1 Waste disposal methods

### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### 14. TRANSPORT INFORMATION

## 14.1 DOT (US)

**UN-Number** 

Proper shipping name

Hazard class Packing group

**Environmental hazards** 

No data available

## 15. REGULATORY INFORMATION

#### **15.1** No data available

## 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 10/16/2017

Version 1.4

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9172

1.1 Product Name: Steiner-Chapman Modified Silver Stain Kit, Sol'n D: Hydroguinone, Powder

 Part Number:
 9172

 CAS-No.:
 123-31-9

 SDS Number:
 3320

1.2 Recommended Use: Laboratory Chemicals

**1.3 Company:** Newcomer Supply

2505 Parview Road

Middleton, WI 53562 USA

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300

Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

#### 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)
Acute toxicity (oral), Category 4
Serious eye damage, Category 1
Skin sensitisation, Category 1
Germ cell mutagenicity, Category 2
Carcinogenicity, Category 2

#### 2.2 GHS Label elements

Signal Word DANGER

## **Pictogram**

## **Hazard Statement(s):**

- · Harmful if swallowed
- · May cause an allergic skin reaction
- · Causes serious eye damage
- · Suspected of causing genetic defects
- · Suspected of causing cancer

## **Precautionary Statement(s):**

## **Prevention:**

- · Wash skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Wear protective gloves/protective clothing/eye protection/face protection
- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood

#### Response:

- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing
- · Immediately call a POISON CENTER or doctor/physician
- · IF exposed or concerned: Get medical advice/attention

#### Storage:

 $\cdot \, \text{Store locked up} \\$ 

#### Disposal:



Revision Date: 10/16/2017

Version 1.4

· Dispose of contents/ container to an approved waste disposal plant.

2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Part Number: 9172

#### **Hazardous Components**

Component		Concentration
Name	Hydroquinone	
CAS-No.	123-31-9	99-100%

#### 4. FIRST-AID MEASURES

#### 4.1 Description of necessary measures

## Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

#### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

## Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

#### 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

## 5.2 Specific hazards arising from the substance or mixture

No data available

#### 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

#### **NFPA Rating**

Health Fire Reactivity
hazard: 2 hazard: 1 hazard: 0

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures



Revision Date: 10/16/2017

Version 1.4

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

## 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

#### 7. HANDLING AND STORAGE

Part Number: 9172

## 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

## 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Hydroquinone	123-31-9	OSHA PEL	TWA	2 mg/m <sup>3</sup>
		ACGIH TLV	TWA	2 mg/m <sup>3</sup>
		NIOSH REL	С	2 mg/m <sup>3</sup> (15 minutes)

#### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

#### 8.3 Personal Protective Equipment

#### **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

## **Respiratory Protection**

No data available

## Other Information

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Physical state Colorless, fine crystalline solid



Part Number: 9172

## **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

Odor Odorless

No data available Odor threshold No data available На Melting point/freezing point 170°C (338°F) Initial boiling point and boiling range 285°C (545°F) Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available

Lower flammability or explosive limits

No data available

No data available

No data available

No data available

Vapor density 1.332

Relative density

Solubility(ies)

Partition coefficient: n-octanol/water

No data available

No data available

Auto-ignition temperature No data available Decomposition temperature No data available Viscosity No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

No data available

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong bases and strong oxidizing agents

## 10.6 Hazardous decomposition products

No data available

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

## Inhalation exposure

No data available

#### Oral exposure

No data available

### **Dermal exposure**

No data available

#### Skin corrosion/irritation

Contact can irritate the skin and cause a rash and changes in skin color.

## Serious eye damage/irritation

Hydroquinone can irritate and may burn the eyes.

## Respiratory or skin sensitization

No data available

#### **Germ Cell mutagenicity**



Revision Date: 10/16/2017

Version 1.4

No data available

Part Number: 9172

## Reproductive toxicity

Hydroquinone may decrease fertility in males and females.

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

## **Acute toxicity**

No data available

### Carcinogencity

IARC: Group 3, not classifiable as to its carcinogenicity to humans

NTP: None of the components are listed OSHA: None of the components are listed

# Additional information RTECS: No data available

### 12. ECOLOGICAL INFORMATION

### 12.1 Ecotoxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste disposal methods

### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## 14. TRANSPORT INFORMATION

#### 14.1 DOT (US)

UN-Number No data available
Proper shipping name No data available
Hazard class No data available
Packing group No data available
Environmental hazards No data available



Revision Date: 10/16/2017

Version 1.4

## 15. REGULATORY INFORMATION

**15.1** No data available

## 16. OTHER INFORMATION

Part Number: 9172

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.