

Part Number: 1004

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	<b>Alcian Blue Stain, Alcoholic</b> 1004 Not applicable 2140	
1.2	Recommended Use:	Laboratory Chemicals	
1.3	Company: Telephone: Fax: Website: Email:	Newcomer Supply 2505 Parview Road Middleton, WI 53562 USA 1-800-383-7799 1-608-831-0866 www.newcomersupply.com	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.
		newly@newcomersupply.com	·····

#### 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**GHS Classification**, (in accordance with 29 CFR1910.1200) Flammable liquid, Category 2 Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4 Acute toxicity (inhalation), Category 4 Serious Eye Damage/Eye irritation, Category 2A Skin irritation, Category 2 Specific Target Organ Toxicity – Repeated exposure, Category 1 Specific Target Organ Toxicity – Single exposure, Category 2

### 2.2 GHS Label elements

Pictogram

Signal Word

DANGER



# Hazard Statement(s):

- · Highly flammable liquid and vapour
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes serious eye irritation
- $\cdot$  Causes skin irritation
- $\cdot$  Causes damage to organs through prolonged or repeated exposure
- · May cause damage to organs

#### Precautionary Statement(s): Prevention:

- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- · Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.
- · Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- $\cdot$  Do not eat, drink or smoke when using this product.
- $\cdot$  Use only outdoors or in a well-ventilated area.
- · Do not breathe dust/fume/gas/mist/vapours/spray.

Revision Date: 10/16/2017 Version 1.4



Revision Date: 10/16/2017

Version 1.4

#### Part Number: 1004

#### Response:

· In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

# water/shower.

- $\cdot$  Wash contaminated clothing before reuse.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy
- to do continue rinsing.
- $\cdot$  If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- $\cdot$  Rinse mouth.
- $\cdot$  Specific treatment: see first aid measures in section 4.
- · IF exposed or concerned: Get medical advice/attention.

#### Storage:

- · Store in a well ventilated place. Keep cool.
- · Store locked up.
- Disposal:
- · Dispose of contents/ container to an approved waste disposal plant.
- **2.3 Description of any hazards not otherwise classified** None
- 2.4 >1% of mixture with unknown acute toxicity None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

# **Hazardous Components**

Component		Concentration
Name	Ethyl Alcohol	
CAS-No.	64-17-5	84-85%
Name	Methyl Alcohol	
CAS-No.	67-56-1	4-5%
Name	Isopropyl Alcohol	
CAS-No.	67-63-0	4-5%

#### 4.1 Description of necessary measures

### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention.

### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

### Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

# 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.



#### Part Number: 1004

Revision Date: 10/16/2017

Version 1.4

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### 5. FIRE-FIGHTING MEASURES

- **5.1** Suitable extinguishing media Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.
- 5.2 Specific hazards arising from the substance or mixture No data available
- **5.3** Protective equipment and precautions for fire-fighters Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rat	ing			
Health		Fire		Reactivity
hazard:	2	hazard:	3	hazard: 0

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

# 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray.Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

components with mill values that require monitoring at the workplace				
CAS-No.	Regulatory	Value	Parameters	
64-17-5	OSHA PEL	TWA	1000 ppm (1900 mg/m <sup>3</sup> )	
	ACGIH TLV	TWA	1000 ppm (1880 mg/m <sup>3</sup> )	
	NIOSH REL	TWA	1000 ppm (1900 mg/m <sup>3</sup> )	
CAS-No	Regulatory	Value	Parameters	
	CAS-No. 64-17-5	CAS-No. Regulatory 64-17-5 OSHA PEL ACGIH TLV NIOSH REL	CAS-No.RegulatoryValue64-17-5OSHA PELTWAACGIH TLVTWANIOSH RELTWA	



Part Number: 1004

Revision Date: 10/16/2017

Version 1.4

Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (980 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	200 ppm (1,230 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	50 ppm (1,230 mg/m <sup>3</sup> )
		NIOSH REL	TWA	200 ppm (980 mg/m <sup>3</sup> )
		NIOSH REL	STEL	250 ppm (980 mg/m <sup>3</sup> )
Component	CAS-No.	Regulatory	Value	Parameters
Isopropyl Alcohol	67-63-0	OSHA PEL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	400 ppm (983 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	500 ppm (1,230 mg/m <sup>3</sup> )
		NIOSH REL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		NIOSH REL	STEL	500 ppm (980 mg/m <sup>3</sup> )

#### 8.2 Exposure Controls

#### Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

#### 8.3 Personal Protective Equipment

#### **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

#### **Respiratory Protection**

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134). Ethyl Alcohol: Where the potential exists for exposure over 1,000 ppm: use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder. Exposure to 3,300 ppm is immediately dangerous to life and health. If the possibility of exposure above 3,300 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder. In case of emergency, entry into or escape from unknown concentrations select the highest level approved respiratory protection available.

# **Other Information**

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties



Part Number: 1004

Revision Date: 10/16/2017

Version 1.4

Physical state Odor Odor threshold рΗ Melting point/freezing point Initial boiling point and boiling range Flash point **Evaporation** rate Flammability (solid, gas) Upper flammability or explosive limits Lower flammability or explosive limits Vapor pressure Vapor density **Relative density** Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity

**Colorless liquid** Alcoholic odor No data available No data available -114°C (-173.2°F) 78-80°C (172-176°F) 13°C (55.4°F) Closed cup 1.7 (Ethyl Alcohol) Liquid is flammable 19% 3% No data available 1.6 (Ethyl Alcohol) 0.789 Miscible with water and many organic liquids No data available No data available No data available No data available

#### **10. STABILITY AND REACTIVITY**

10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

**10.3 Possibility of hazardous reactions** No data available

#### 10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

#### 10.5 Incompatible materials

Ethyl Alcohol: Strong oxidizers, potassium dioxide, bromine pentafluoride, acetyl bromide, acetyl chloride, platinum, sodium concentrated sulfuric acid, potassium and hydrogen peroxides, platinum black, calcium hypochlorite, silver oxide, ammonia, nitric acid, mercuric nitrate, silver nitrate, magnesium perchlorate, isocyanates, mineral acids, and chloroform.

#### 10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

#### **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects Inhalation exposure

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath.

#### **Oral exposure**

Oral exposure to ethyl alcohol, methyl alcohol, and isopropyl alcohol can cause headache, drowsiness, nausea and vomiting, and unconsciousness. It can also affect concentration and vision.

#### **Dermal exposure**

Contact with ethyl alcohol can irritate the skin.

# ͶϴϢϲϘϺϴΓʹʹ

**SAFETY DATA SHEET (SDS)** 

Revision Date: 10/16/2017

Version 1.4

Part Number: 1004

#### Skin corrosion/irritation

Prolonged or repeated exposure to ethyl alcohol can cause drying and cracking of the skin with peeling, redness and itching.

Serious eye damage/irritation Contact with ethyl alcohol can irritate the eyes.

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

#### **Reproductive toxicity**

Repeated oral exposure to ethyl alcohol may cause spontaneous abortions, as well as birth defects and other developmental problems. This condition is referred to as "fetal alcohol syndrome." There is limited evidence that oral exposure to ethyl alcohol may decrease fertility in males.

**Specific target organ toxicity - single exposure** Exposure may affect the liver and the nervous system.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

### Acute toxicity

Ethyl Alcohol: LD50 rat oral 3450 mg/kg LD50 mouse oral 7060 mg/kg LC50 rat inhalation 20000 ppm/10H LC50 mouse inhalation 20363 ppm/4H

#### Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

#### Additional information

RTECS: No data available

#### 12. ECOLOGICAL INFORMATION

- 12.1 Ecotoxicity No data available
- **12.2** Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5** Other adverse effects No data available

# **ΝΕΨζΟΜΕΙΩΣυρρΓΑ**

**SAFETY DATA SHEET (SDS)** 

Revision Date: 10/16/2017

Version 1.4

Part Number: 1004

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste disposal methods

#### Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### **14. TRANSPORT INFORMATION**

# 14.1 DOT (US)

20. (00)	
UN-Number	1170
Proper shipping name	Ethanol Solutions
Hazard class	3
Packing group	II
Environmental hazards	No data available

#### **15. REGULATORY INFORMATION**

#### No data available 15.1

# **16. OTHER INFORMATION**

**Preparation Information** Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © Newcomer Supply Inc. All rights reserved.