

Part Number: 1034

SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017 Version 1.4

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	Chromic Acid 10%, Aqueous 1034 Not applicable 2510	
1.2	Recommended Use:	Laboratory Chemicals	
1.3	Company:	Newcomer Supply 2505 Parview Road Middleton, WI 53562 USA	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of
	Fax:	1-608-831-0866	an emergency involving a chemical spill,
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.
	Email:	newly@newcomersupply.com	-

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200) Oxidizing liquid, Category 1 Acute toxicity (oral), Category 3 Acute toxicity (inhalation), Category 1 Acute toxicity (dermal), Category 2 Skin corrosion, Category 1 Serious eye damage, Category 1 Skin sensitisation, Category 1 Respiratory sensitization, Category 1 Germ cell mutagenicity, Category 1B Carcinogenicity, Category 1A Reproductive toxicity, Category 2

2.2 GHS Label elements Signal Word DANGER

Pictogram



Hazard Statement(s):

- · Highly flammable liquid and vapour
- Toxic if swallowed
- · Fatal in contact with skin
- · Fatal if inhaled
- · Causes severe skin burns and eye damage
- · May cause genetic defects
- · May cause cancer
- Suspected of damaging fertility or the unborn child **Precautionary Statement(s):**

Prevention:

- · Obtain special instructions before use.
- \cdot Do not handle until all safety precautions have been read and understood.
- \cdot Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep/Store away from clothing/combustible materials.
- \cdot Take any precaution to avoid mixing with combustibles.
- \cdot Wear protective gloves/protective clothing/eye protection/face protection.
- \cdot Wear fire/flame resistant/retardant clothing.
- \cdot Wash skin thoroughly after handling.

ͶϴϢϲϘϺϴΓʹʹ

SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

Part Number: 1034

- \cdot Do not eat, drink or smoke when using this product.
- \cdot Do not get in eyes, on skin, or on clothing.
- · Use only outdoors or in a well-ventilated area.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · In case of inadequate ventilation wear respiratory protection.
- **Response:**

IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

- In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
- \cdot In case of fire: See section 5 for extinction methods.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- . IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy
- to do continue rinsing.
- · IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · Specific treatment is urgent: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.
- Storage:
- · Store locked up.
- Store in a well ventilated place. Keep container tightly closed. **Disposal:**
- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components

Componer	nt	Concentration
Name	Chromium Trioxide	
CAS-No.	1333-82-0	10%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.



SAFETY DATA SHEET (SDS)

Part Number: 1034

Ingestion (swallowed)

Revision Date: 10/16/2017

Version 1.4

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rati	ing						
Health		Fire		Reactivity			
hazard:	2	hazard:	0	hazard:	0	Other:	Oxidizer

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray.Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace

	Component	CAS-No.	Regulatory	Value	Parameters
--	-----------	---------	------------	-------	------------



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

Part	Number:	1034
------	---------	------

Chromium Trioxide	1333-82-0	OSHA PEL	TWA	0.05 mg/m ³
		ACGIH TLV	TWA	0.0002 mg/m ³
		NIOSH REL	TWA	0.01 mg/m ³

8.2 Exposure Controls

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Where the potential exists for exposure over 0.001 mg/m³: use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.

Exposure to 15 mg/m3 (as hexavalent Chromium) is immediately dangerous to life and health. If the possibility of exposure above 15 mg/m³ exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder.

In case of emergency, entry into unknown concentrations, or escape, wear a self-contained positivepressure breathing apparatus.

Other Information None

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties 9.1

Physical	Reddish-orange liquid. Solution turns green when
state	chromium becomes reduced
Odor	Odorless
Odor threshold	No data available
рН	No data available
Melting point/freezing point	ca. 0°C (ca. 32°F)
Initial boiling point and boiling range	ca. 100°C (ca. 32°F)
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper flammability or explosive limits	No data available
wcomersupply com	



Part Number: 1034

Lower flammability or explosive limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity No data available No data available No data available No data available Water soluble No data available No data available No data available No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity No data available

10.2 Chemical stability Stable in a closed container within label-specified storage temperature and expiration date.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4** Conditions to avoid Heat, sparks, open flame, and ignition sources.
- 10.5 Incompatible materials

Alcohols; strong acids (such as hydrochloric, sulfuric and nitric); strong bases (such as sodium hydroxide and potassium hydroxide); sulfur dioxide; metals; metal salts; and oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine). Contact with organics or combustibles (such as wood, paper, fuels and oils) may cause a fire.

10.6 Hazardous decomposition products No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Inhalation exposure No data available

> **Oral exposure** No data available

Dermal exposure No data available

Skin corrosion/irritation

Chromium trioxide can irritate and burn the skin. Contact can cause deep skin ulcers.

Serious eye damage/irritation

Eye contact with chromium trioxide can cause severe irritation and burns with possible loss of vision.

Respiratory or skin sensitization

Chromic trioxide may cause a skin allergy. If allergy develops, very low future exposure can cause itching and a skin rash. Chromic Trioxide can cause a severe allergic lung reaction with chills, fever, chest discomfort, cough, and/or shortness of breath. Repeated attacks may lead to permanent scarring.

SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017 Version 1.4



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

Part Number: 1034

Germ Cell mutagenicity

Chromium trioxide may damage genetic material in a body cell leading to birth defects, miscarriages, or cancer.

Reproductive toxicity

Chromic trioxide may be a teratogen in humans since it has been shown to be a teratogen in animals.

Specific target organ toxicity - single exposure Chromic trioxide may damage the liver and kidneys.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Acute toxicity

Chromium Trioxide: LD50 rat oral 80 mg/kg LD50 rabbit dermal 30 mg/kg LC50 rat inhalation 0.033-0.137 mg/l/4 hours

Carcinogencity

IARC: Chromium trioxide: Group 1: Carcinogenic to humans NTP: Chromium trioxide: Known to be a human carcinogen OSHA: Chromium trioxide: OSHA specifically regulated carcinogen

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

- 12.1 Ecotoxicity No data available
- **12.2** Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5** Other adverse effects No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION



Part Number: 1034

SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017 Version 1.4

14.1 DOT (US) UN-Number Proper shipping name Hazard class Packing group Environmental hazards

No data available No data available No data available No data available No data available

15. REGULATORY INFORMATION

15.1 No data available

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799 <u>www.newcomersupply.com</u> Copyright © Newcomer Supply Inc. All rights reserved.