

Revision Date: 10/16/2017

Version 1.4

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 10912

1.1 Product Name: Formalin 10%, in Saline

Part Number: 10912

**CAS-No.:** Not applicable

SDS Number: 4930

1.2 Recommended Use: Laboratory Chemicals

**1.3 Company:** Newcomer Supply

2505 Parview Road

Middleton, WI 53562 USA

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:newly@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

#### 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 4

Acute toxicity (oral), Category 4 Skin irritation, Category 2

Serious eye damage, Category 1

Skin sensitisation, Category 1

Carcinogenicity, Category 1A

Specific Target Organ Toxicity - Single exposure, Category 1

#### 2.2 GHS Label elements

Signal Word DANGER

#### **Pictogram**







#### **Hazard Statement(s):**

- · Combustible liquid
- · Harmful if swallowed
- · Causes skin irritation
- · Causes serious eve damage
- · May cause an allergic skin reaction
- · May cause cancer
- · Causes damage to organs

### **Precautionary Statement(s):**

#### Prevention:

- · Obtain special instructions before use.
- · Do not handle until all safety precautions have been read and understood.
- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- · Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

- · In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · IF ON SKIN: Gently wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.



Revision Date: 10/16/2017

Version 1.4

· If skin irritation or a rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

to do – continue rinsing.

- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.
- · Specific treatment is urgent: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

#### Storage:

Part Number: 10912

- · Store in a well ventilated place. Keep cool.
- · Store locked up.

#### **Disposal:**

· Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

#### **Hazardous Components**

Component		Concentration
Name	Formaldehyde	
CAS-No.	50-00-0	3-4%
Name	Methyl Alcohol	
CAS-No.	67-56-1	<1%

#### 4. FIRST-AID MEASURES

#### 4.1 Description of necessary measures

#### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

#### **Skin Contact**

IF ON SKIN: Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician.

### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

#### Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIRE-FIGHTING MEASURES

## 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

#### 5.2 Specific hazards arising from the substance or mixture

No data available



Revision Date: 10/16/2017

Version 1.4

# 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

#### **NFPA Rating**

Part Number: 10912

Health Fire Reactivity
hazard: 2 hazard: 1 hazard: 0

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

#### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Ensure proper ventilation. Contain spill. Prevent further leakage if possible and safe to do so. Evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces — No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters	
Formaldehyde	50-00-0	OSHA PEL	TWA	0.75 ppm	
		OSHA PEL	STEL	2 ppm	
		ACGIH TLV	С	0.3 ppm (0.37 mg/m <sup>3</sup> )	
		NIOSH REL	TWA	0.016 ppm	
		NIOSH REL	С	0.1 ppm 15-minute	

Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (260 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	200 ppm (262 mg/m³)
		ACGIH TLV	STEL	50 ppm (328 mg/m <sup>3</sup> )
		NIOSH REL	TWA	200 ppm (260 mg/m³)
		NIOSH REL	STEL	250 ppm (325 mg/m <sup>3</sup> )

# 8.2 Exposure Controls Appropriate engineering controls



Revision Date: 10/16/2017 Version 1.4

Part Number: 10912

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to

keep concentrations below acceptable limits.

# 8.3 Personal Protective Equipment

### **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

#### **Respiratory Protection**

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Where the potential exists for exposure over 0.016 ppm: use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 20 ppm is immediately dangerous to life and health. If the possibility of exposure above 20 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder. In case of emergency, entry into unknown concentrations, or escape, wear a self-contained positive-pressure breathing apparatus.

Clear, colorless liquid

#### **Other Information**

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

#### 9.1 Information on basic physical and chemical properties

Odor Pungent, irritating odor Odor threshold No data available No data available Hq Melting point/freezing point No data available Initial boiling point and boiling range No data available Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density No data available Solubility(ies) Water soluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available Decomposition temperature No data available



Revision Date: 10/16/2017

Version 1.4

Viscosity No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Part Number: 10912

No data available

#### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

#### 10.5 Incompatible materials

Formaldehyde reacts violently with nitrogen oxides; oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine); mixtures of perchloric acid and aniline; nitromethane; magnesium carbonate; and hydrogen peroxide. Formaldehyde reacts with phenol and hydrogen chloride to form toxic bis(chloromethyl) ether. Formaldehyde is not compatible with strong acids (such as hydrochloric, sulfuric and nitric); strong bases (such as sodium hydroxide and potassium hydroxide); iodine; iron; silver; isocyanates; amines; anhydrides; and liquid oxygen.

## 10.6 Hazardous decomposition products

No data available

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects Inhalation exposure

Formaldehyde: Difficulty in breathing was experienced at 10 to 20 ppm. Upper airway irritation and increased nasal airway resistance were reported at 0.1 to 25 ppm and lower airway and chronic pulmonary obstruction at 5 to 30 ppm. Inhaling formaldehyde can irritate the lungs. Higher exposures may cause a build-up of fluid in the lungs (pulmonary edema), a medical emergency.

#### Oral exposure

Formaldehyde: Most subjects experience irritation of the throat at 1 to 3 ppm; many subjects cannot tolerate prolonged exposures to 4 to 5 ppm

#### **Dermal exposure**

No data available

#### Skin corrosion/irritation

Formaldehyde is corrosive and contact can severely irritate and burn the skin.

### Serious eye damage/irritation

Formaldehyde: 10 to 20 ppm produces almost immediate eye irritation. Most subjects experience irritation of the eyes, nose, and throat at 1 to 3 ppm; many subjects cannot tolerate prolonged exposures to 4 to 5 ppm.

# Respiratory or skin sensitization

It has been estimated that exposure for 5 to 10 minutes to 50 to 100 ppm might cause serious injury to the lower respiratory passages. Formaldehyde may cause a skin allergy and an asthma-like allergy. Formaldehyde may cause an asthma-like allergy. Future exposure can cause asthma attacks with shortness of breath, wheezing, coughing, and/or chest tightness.



Revision Date: 10/16/2017

Version 1.4

#### **Germ Cell mutagenicity**

No data available

Part Number: 10912

#### Reproductive toxicity

There is limited evidence that formaldehyde may damage the developing fetus and affect female fertility.

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### Acute toxicity

Formaldehyde:

LD50 rat oral 100 mg/kg

LD50 rat dermal 270 mg/kg

LC50 rat inhalation 0.48 mg/l/4 hours

#### Carcinogencity

IARC: Formaldehyde: Group 1, carcinogenic to humans

NTP: Formaldehyde: Known human carcinogen

OSHA: Formaldehyde: Specifically regulated carcinogen

# Additional information

RTECS: No data available

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste disposal methods

#### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

# 14. TRANSPORT INFORMATION

#### 14.1 DOT (US)



Revision Date: 10/16/2017

Version 1.4

**UN-Number** No data available Proper shipping name No data available **Hazard class** No data available **Packing group** No data available **Environmental hazards** No data available

#### 15. REGULATORY INFORMATION

**15.1** No data available

#### 16. OTHER INFORMATION

Part Number: 10912

**Preparation Information** Newcomer Supply Inc.

800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.