

Revision Date: 1/23/2025

Version 1.5

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 12086

1.1 Product Name: Hydrochloric Acid 5%, Aqueous

Part Number: 12086

**CAS-No.:** Not applicable

SDS Number: 3280

1.2 Recommended Use: Laboratory Chemicals

**1.3 Company:** NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT
CALL CHEMTREC: 1-800-424-9300
Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Corrosive to metals, Category 1

Skin corrosion, Category 1B

Serious eye damage, Category 1

Specific Target Organ Toxicity - Respiratory System - Single exposure, Category 3

#### 2.2 GHS Label elements

Signal Word DANGER

**Pictogram** 





#### **Hazard Statement(s):**

- · May be corrosive to metals
- · Causes severe skin burns and eye damage

May cause respiratory irritation

· May cause drowsiness or dizziness

## **Precautionary Statement(s):**

## **Prevention:**

- · Keep only in original container.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · Wash skin thoroughly after handling.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Use only outdoors or in a well-ventilated area.
- · Do not eat, drink or smoke when using this product.

#### Response:

- · Absorb spillage to prevent material damage.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing.
- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

## Storage:



Revision Date: 1/23/2025

Part Number: 12086 Version 1.5

- · Store in a corrosive resistant container/container with a resistant inner liner.
- · Store in a well ventilated place. Keep container tightly closed.
- · Store locked up.

## Disposal:

· Dispose of contents/ container to an approved waste disposal plant.

2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

### **Hazardous Components**

Component		Concentration	
Name	Hydrochloric Acid		
CAS-No.	7647-01-0	5%	

#### 4. FIRST-AID MEASURES

#### 4.1 Description of necessary measures

#### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician

#### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician

#### Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician

## 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIRE-FIGHTING MEASURES

### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

#### 5.2 Specific hazards arising from the substance or mixture

No data available

## 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

#### **NFPA Rating**

Health Fire Reactivity hazard: 3 hazard: 0 hazard: 1



Revision Date: 1/23/2025

Version 1.5

## 6. ACCIDENTAL RELEASE MEASURES

Part Number: 12086

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

## 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Hydrochloric Acid	7647-01-0	OSHA PEL	С	5 ppm (7 mg/m <sup>3</sup> )
		NIOSH REL	С	5 ppm (7 mg/m <sup>3</sup> )
		NIOSH REL	IDLH	50 ppm (75 mg/m <sup>3</sup> )
		ACGIH TLV	С	2 ppm

#### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

## 8.3 Personal Protective Equipment

## **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

## **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

## **Body Protection**

No data available

## **Respiratory Protection**



Part Number: 12086

## **SAFETY DATA SHEET (SDS)**

Revision Date: 1/23/2025

Version 1.5

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Where the potential exists for exposure over 2 ppm: use a NIOSH approved full facepiece respirator with an acid gas cartridge which is specifically approved for hydrochloric acid. Increased protection is obtained from full facepiece powered-air purifying respirators. Leave the area immediately if (1) while wearing a filter or cartridge respirator you can smell, taste, or otherwise detect hydrochloric acid, (2) while wearing particulate filters abnormal resistance to breathing is experienced, or (3) eye irritation occurs while wearing a full facepiece respirator. Check to make sure the respirator-to-face seal is still good. If it is, replace the filter or cartridge. If the seal is no longer good, you may need a new respirator.

Where the potential exists for exposure over 20 ppm: use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 50 ppm is immediately dangerous to life and health. If the possibility of exposure above 50 ppm exists: use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder. In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

### **Other Information**

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Physical state Clear, colorless liquid
Odor No data available
Odor threshold No data available
pH <2

Melting point/freezing point No data available Initial boiling point and boiling range No data available Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) Non flammable liquid Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available No data available Relative density Solubility(ies) Water soluble Partition coefficient: n-octanol/water No data available No data available Auto-ignition temperature Decomposition temperature No data available No data available Viscosity

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available



Revision Date: 1/23/2025

Version 1.5

## 10.2 Chemical stability

Part Number: 12086

No data available

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Store in tightly closed containers in a cool, well-ventilated area away from combustibles.

### 10.5 Incompatible materials

Hydrochloric acid may react explosively with alcohols; hydrogen cyanide; potassium permanganate; sodium; and tetraselenium tetranitride, and may ignite on contact with fluorine; hexalithium disilicide; metal acetylides and carbides. Hydrochloric acid reacts with oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine and bromine) to form toxic chlorine gas and reacts violently with strong bases (such as sodium hydroxide and potassium hydroxide). Hydrochloric acid will attack many metals (such as copper, brass, and zinc) to release flammable and explosive hydrogen gas. Hydrochloric acid will react with aldehydes and epoxides to cause violent polymerization (self-reaction). Hydrochloric acid corrodes steel.

## 10.6 Hazardous decomposition products

No data available

#### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## Inhalation exposure

It has been reported that 50 to 100 ppm for 1 hour is barely tolerable and that 35 ppm causes irritation of the throat. Acute inhalation exposure may cause coughing, hoarseness, inflammation and ulceration of the respiratory tract, chest pain, and pulmonary edema in humans.

### **Oral exposure**

Acute oral exposure may cause corrosion of the mucous membranes, esophagus, and stomach, with nausea, vomiting, and diarrhea reported in humans.

#### **Dermal exposure**

Hydrochloric acid: Dermal contact may produce severe burns, ulceration, and scarring.

## Skin corrosion/irritation

Hydrochloric acid is corrosive to the skin.

## Serious eye damage/irritation

Hydrochloric acid is corrosive to the eyes.

## Respiratory or skin sensitization

No data available

## **Germ Cell mutagenicity**

No data available

#### Reproductive toxicity

In rats exposed to hydrochloric acid by inhalation, severe dyspnea, cyanosis, and altered estrus cycles have been reported in dams, and increased fetal mortality and decreased fetal weight have been reported in the offspring.

### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure



Revision Date: 1/23/2025

Version 1.5

Chronic occupational exposure to hydrochloric acid has been reported to cause gastritis, chronic bronchitis, dermatitis, and photosensitization in workers. Prolonged exposure to low concentrations may also cause dental discoloration and erosion. Chronic inhalation exposure caused hyperplasia of the nasal mucosa, larynx, and trachea and lesions in the nasal cavity in rats.

#### **Aspiration hazard**

No data available

#### **Acute toxicity**

Part Number: 12086

Hydrochloric Acid:

LCLo human 1300 ppm/30 minutes

LC50 rat 3124 ppm/1 hour LC50 mouse 1108 ppm/1 hour

#### Carcinogencity

IARC: Hydrochloric Acid: Group 3 Carcinogen - not classifiable as to its carcinogenicity to humans.

NTP: None of the components are listed OSHA: None of the components are listed

# Additional information RTECS: No data available

## 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste disposal methods

#### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### 14. TRANSPORT INFORMATION

## 14.1 DOT (US)

**UN-Number** UN1789

Proper shipping name Hyrochloric Acid

Hazard class 8
Packing group II

**Environmental hazards** No data available

## 15. REGULATORY INFORMATION



Revision Date: 1/23/2025

Version 1.5

**15.1** No data available

## 16. OTHER INFORMATION

Part Number: 12086

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.