

Part Number: 1335

## 1. PRODUCT AND COMPANY IDENTIFICATION

**1.1 Product Name:** Picric Acid-Acetone 0.1%

**Part Number:** 1335

**CAS-No.:** Not applicable

**SDS Number:** 4000

**1.2 Recommended Use:** Laboratory Chemicals

**1.3 Company:** NEWCOMER SUPPLY  
1020 PRAIRIE VIEW CT  
WAUNAKEE WI 53597-8512

**Telephone:** 1-800-383-7799

**Fax:** 1-608-831-0866

**Website:** [www.newcomersupply.com](http://www.newcomersupply.com)

**Email:** [info@newcomersupply.com](mailto:info@newcomersupply.com)

24 HOUR EMERGENCY CONTACT  
CALL CHEMTREC: 1-800-424-9300  
Contact CHEMTREC only in the event of  
an emergency involving a chemical spill,  
leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 2

Serious Eye Damage/Eye irritation, Category 2A

Specific Target Organ Toxicity – Single exposure, Category 3

### 2.2 GHS Label elements

**Signal Word** DANGER

**Pictogram**



**Hazard Statement(s):**

- Highly flammable liquid and vapour
- Causes serious eye irritation
- May cause respiratory irritation
- May cause drowsiness or dizziness

**Precautionary Statement(s):**

**Prevention:**

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed.
- Ground and bond container and receiving equipment.
- Use explosion-proof fume hood/electrical/ventilating/light/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Wash skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.

**Response:**

- In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- If eye irritation persists get medical advice/attention.
- Call a POISON CENTER or doctor/physician if you feel unwell.

Part Number: 1335

**Storage:**

- Store in a well ventilated place. Keep cool.
- Keep container tightly closed.
- Store locked up.

**Disposal:**

- Dispose of contents/ container to an approved waste disposal plant.

**2.3 Description of any hazards not otherwise classified** None

**2.4 >1% of mixture with unknown acute toxicity** None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

**Hazardous Components**

Component		Concentration
Name	Acetone	
CAS-No.	67-64-1	>99%
Name	Picric Acid	
CAS-No.	88-89-1	0.1%

### 4. FIRST-AID MEASURES

#### 4.1 Description of necessary measures

**Inhalation (breathing)**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Call a POISON CENTER or doctor/physician if you feel unwell.

**Eye Contact**

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

**Ingestion (swallowed)**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

#### 5.2 Specific hazards arising from the substance or mixture

No data available

#### 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

**NFPA Rating**

Health	Fire	Reactivity	
hazard:	1 hazard:	3 hazard:	0

Part Number: 1335

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Acetone	67-64-1	OSHA PEL	TWA	1,000 ppm (2,400 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	750 ppm (1,780 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	1,000 ppm (2,380 mg/m <sup>3</sup> )
		NIOSH REL	TWA	250 ppm (590 mg/m <sup>3</sup> )
		CANADA/ON TWAEV	TWA	500 ppm
		CANADA/ON TWAEV	STEL	750 ppm
		CANADA/QC	TWA	500 ppm (1190 mg/m <sup>3</sup> )
		CANADA/QC	STEL	1000 ppm (2380 mg/m <sup>3</sup> )
		CANADA/BC	TWA	250 ppm
		CANADA/BC	STEL	500 ppm
		CANADA/AB	TWA	500 ppm (1200 mg/m <sup>3</sup> )
		CANADA/AB	STEL	750 ppm (1800 mg/m <sup>3</sup> )

Component	CAS-No.	Regulatory	Value	Parameters
Picric Acid	88-89-1	OSHA PEL	TWA	0.1 mg/m <sup>3</sup> (skin)
		ACGIH TLV	TWA	0.1 mg/m <sup>3</sup> (skin)
		NIOSH REL	TWA	0.1 mg/m <sup>3</sup> (skin)
		NIOSH REL	STEL	0.3 mg/m <sup>3</sup> (skin)
		CANADA/QC	TWA	0.1 mg/m <sup>3</sup>
		CANADA/ON	TWA	0.1 mg/m <sup>3</sup>

Part Number: 1335

		CANADA/BC	TWA	0.1 mg/m <sup>3</sup>
		CANADA/AB	TWA	0.1 mg/m <sup>3</sup>

## 8.2 Exposure Controls

### Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

## 8.3 Personal Protective Equipment

### Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

### Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

### Body Protection

No data available

### Respiratory Protection

account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Where the potential exists for exposure over 250 ppm: use a NIOSH approved full facepiece respirator with an organic vapor cartridge. Increased protection is obtained from full facepiece powered-air purifying respirators. Leave the area immediately if (1) while wearing a filter or cartridge respirator you can smell, taste, or otherwise detect acetone, (2) while wearing particulate filters abnormal resistance to breathing is experienced, or (3) eye irritation occurs while wearing a full facepiece respirator. Check to make sure the respirator-to-face seal is still good. If it is, replace the filter or cartridge. If the seal is no longer good, you may need a new respirator.

Consider all potential sources of exposure in your workplace. You may need a combination of filters, prefilters or cartridges to protect against different forms of a chemical (such as vapor and mist) or against a mixture of chemicals.

Where the potential for high exposure exists, use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 2,500 ppm is immediately dangerous to life and health. If the possibility of exposure above 2,500 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder.

In case of emergency, entry into unknown concentrations, or escape, select the highest level approved respiratory protection available.

### Other Information

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state

Clear, yellow liquid

Odor

Acetone odor

Part Number: 1335

Odor threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	ca. 56°C (ca. 133°F)
Flash point	ca. -17°C (ca. 0°F)
Evaporation rate	1.9
Flammability (solid, gas)	Flammable liquid
Upper flammability or explosive limits	13%
Lower flammability or explosive limits	2.6%
Vapor pressure	110 mm Hg at 20°C
Vapor density	No data available
Relative density	No data available
Solubility(ies)	Miscible with water
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

### 10.5 Incompatible materials

Strong acids, oxidizers, and alkalis

### 10.6 Hazardous decomposition products

No data available

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Inhalation exposure

Headache, lightheadedness, nasal irritation were noted in workers exposed to concentrations considerably in excess of 1,000 ppm and perhaps as high as 6,500 ppm. Exposure to high concentrations can cause headache, nausea and vomiting, dizziness, lightheadedness and even passing out.

#### Oral exposure

No data available

#### Dermal exposure

No data available

#### Skin corrosion/irritation

Acetone can cause skin irritation. Prolonged or repeated exposure can cause drying and cracking of the skin with redness.

#### Serious eye damage/irritation

Acetone has been reported to cause burning sensation in the eyes at vapor concentration of 500 ppm. Reports of irritation in acclimated workers include a range of 1000-1500 ppm.

Part Number: 1335

**Respiratory or skin sensitization**

Acetone exposure can irritate the nose.

**Germ Cell mutagenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Acetone may affect the kidneys and liver.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Acute toxicity**

Acetone:

LD50 rat oral 5800 mg/kg

LD50 rabbit oral 5340 mg/kg

LD50 mouse oral 3000 mg/kg

LCLo mouse inhalation 45,455 ppm/1H

Picric Acid:

LD50 rat 200 mg/kg

**Carcinogenicity**

IARC: None of the components are listed

NTP: None of the components are listed

OSHA: None of the components are listed

**Additional information**

RTECS: No data available

**12. ECOLOGICAL INFORMATION****12.1 Ecotoxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****13.1 Waste disposal methods****Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Part Number: 1335

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## 14. TRANSPORT INFORMATION

### 14.1 DOT (US)

**UN-Number**

UN1090

**Proper shipping name**

Acetone


**Hazard class**

3

**Packing group**

II

**Environmental hazards**

No data available

## 15. REGULATORY INFORMATION

### 15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

#### Canada DSL Inventory: Registration Status

Acetone - 2-Propanone (67-64-1): LISTED

Picric Acid - Phenol, 2,4,6-trinitro- (88-89-1): LISTED

#### Canada Environmental Emergency Regulations Schedule 1: Listed Substance

Not listed

#### Canada NPRI (Supplier Notification Required): Listed Substance

Not listed

#### Export Control List (CEPA, 1999, Schedule 3)

Not listed

#### Non-Regulatory Instruments

Not listed

#### Significant New Activity (SNAc) Orders and Notices

Not listed

## 16. OTHER INFORMATION

Preparation Information

Newcomer Supply Inc.

800-383-7799

[www.newcomersupply.com](http://www.newcomersupply.com)

Copyright © Newcomer Supply Inc. All rights reserved.