

Part Number: 1402

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Name: Trichrome Stain, Gomori One-Step, Light Green

Part Number: 1402

CAS-No.: Not applicable

SDS Number: 4530

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY
1020 PRAIRIE VIEW CT
WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799

Fax: 1-608-831-0866

Website: www.newcomersupply.com

Email: info@newcomersupply.com

24 HOUR EMERGENCY CONTACT
CALL CHEMTREC: 1-800-424-9300
Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Skin corrosion, Category 1A

Serious eye damage, Category 1

Specific Target Organ Toxicity – Single exposure, Category 3

2.2 GHS Label elements

Signal Word DANGER

Pictogram



Hazard Statement(s):

- Causes severe skin burns and eye damage
- May cause respiratory irritation
- May cause drowsiness or dizziness

Precautionary Statement(s):

Prevention:

- Wear protective gloves/protective clothing/eye protection/face protection.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash skin thoroughly after handling.
- Use only outdoors or in a well-ventilated area.

Response:

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- Wash contaminated clothing before reuse.
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- Specific treatment: see first aid measures in section 4.
- Immediately call a POISON CENTER or doctor/physician.

Storage:

- Store locked up.
- Store in a well ventilated place. Keep container tightly closed.

Disposal:

- Dispose of contents/ container to an approved waste disposal plant.

Part Number: 1402

- 2.3 Description of any hazards not otherwise classified** None
2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS
**3.2 Mixture
Hazardous Components**

Component		Concentration
Name	Phosphotungstic acid	
CAS-No.	12501-23-4	<1%
Name	Chromotrope 2R	
CAS-No.	4197-07-3	<1%
Name	Light Green SF Yellow	
CAS-No.	5141-20-8	<1%
Name	Glacial Acetic Acid	
CAS-No.	64-19-7	1%

4. FIRST-AID MEASURES
4.1 Description of necessary measures
Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

Eye Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES
5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture

No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating

Health	Fire	Reactivity
hazard: 1	hazard: 0	hazard: 0

Part Number: 1402

6. ACCIDENTAL RELEASE MEASURES
6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

7. HANDLING AND STORAGE
7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION
8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Phosphotungstic Acid	12501-23-4	ACGIH	TWA	5 mg/m ³ (as a tungsten soluble compound)
		ACGIH	STEL	0.10 mg/m ³ (as a tungsten soluble compound)
		CANADA/ON	TWA	3 mg/m ³
		CANADA/QC	TWA	5 mg/m ³
		CANADA/QC	STEL	10 mg/m ³
		CANADA/AB	TWA	5 mg/m ³
		CANADA/AB	STEL	10 mg/m ³
		CANADA/BC	TWA	5 mg/m ³
		CANADA/BC	STEL	10 mg/m ³

Component	CAS-No.	Regulatory	Value	Parameters
Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	STEL	15 ppm (37 mg/m ³)
		NIOSH REL	TWA	10 ppm (25 mg/m ³)
		NIOSH REL	STEL	15 ppm (37 mg/m ³)
		CANADA/QC	TWA	10 ppm (25 mg/m ³)
		CANADA/QC	STEL	15 ppm (37 mg/m ³)
		CANADA/ON TWAEV	TWA	10 ppm (25 mg/m ³)
		CANADA/ON TWAEV	STEL	15 ppm (37 mg/m ³)
		CANADA/BC	TWA	10 ppm (25 mg/m ³)
		CANADA/BC	STEL	15 ppm (37 mg/m ³)

Part Number: 1402

		CANADA/AB	TWA	10 ppm (25 mg/m ³)
		CANADA/AB	STEL	15 ppm (37 mg/m ³)

8.2 Exposure Controls
Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment
Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

No data available

Other Information

None

9. PHYSICAL AND CHEMICAL PROPERTIES
9.1 Information on basic physical and chemical properties

Physical state	Opaque purple liquid
Odor	Pungent odor
Odor threshold	No data available
pH	No data available
Melting point/freezing point	ca. 0°C (ca. 32°F)
Initial boiling point and boiling range	ca. 100°C (ca. 32°F)
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	Similar to water
Solubility(ies)	Water soluble
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

10. STABILITY AND REACTIVITY
10.1 Reactivity

No data available

10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

Part Number: 1402

- 10.3 Possibility of hazardous reactions**
No data available
- 10.4 Conditions to avoid**
Avoid contact with heat and flames.
- 10.5 Incompatible materials**
Strong oxidizing agents and strong bases
- 10.6 Hazardous decomposition products**
No data available

11. TOXICOLOGICAL INFORMATION
11.1 Information on toxicological effects
Inhalation exposure

Human data (Glacial Acetic Acid): Marked irritation of the nose, and upper respiratory tract which could not be tolerated for more than 3 minutes was noted at 816 to 1,226 ppm.

Oral exposure

No data available

Dermal exposure

No data available

Skin corrosion/irritation

Contact with glacial acetic acid irritate and burn the skin.

Serious eye damage/irritation

Contact with glacial acetic acid can severely irritate and burn the eyes, leading to eye damage.

Respiratory or skin sensitization

It has been stated that repeated exposures to high concentrations may produce respiratory tract irritation with pharyngeal edema and chronic bronchitis.

Germ Cell mutagenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhaling chromotrope 2R may cause respiratory irritation.

Aspiration hazard

No data available

Acute toxicity

Glacial Acetic Acid:

LD50 rat oral 3310 mg/kg

LD50 rabbit skin 1060uL/kg

LD50 mouse intravenous 525mg/kg

LC50 mouse inhalation 5620ppm/1H

Carcinogenicity

IARC: None of the components are listed

NTP: None of the components are listed

Part Number: 1402

OSHA: None of the components are listed

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number	Not regulated
Proper shipping name	Not regulated
Hazard class	Not regulated
Packing group	Not regulated
Environmental hazards	Not regulated

15. REGULATORY INFORMATION

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status

Phosphotungstic Acid - Tungstate(3-), tetracosam-oxododecaoxo[μ12-[phosphato(3-)-O:O:O:O':O':O':O''':O''':O''':O''']dodeca-, trihydrogen (1343-93-7): LISTED

Acetic Acid (64-19-7): LISTED

Light Green SF Yellow - Benzenemethanaminium, N-ethyl-N-[4-[[4-[ethyl[(3-sulfophenyl)methyl]amino]phenyl](4-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3-sulfo-, hydroxide, inner salt, disodium salt (5141-20-8): LISTED

Canada Environmental Emergency Regulations Schedule 1: Listed Substance

Acetic Acid (64-19-7): LISTED

Canada NPRI (Supplier Notification Required): Listed Substance

Part Number: 1402

Not listed

Export Control List (CEPA, 1999, Schedule 3)

Not listed

Non-Regulatory Instruments

Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers)

Not listed

16. OTHER INFORMATION

Preparation Information

Newcomer Supply Inc.

800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.