

Revision Date: 1/11/2025

Version 1.5

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9155

1.1 Product Name: Luxol Fast Blue (LFB) - Cresyl Violet Stain Kit

Part Number: 9155

**CAS-No.:** Not applicable

SDS Number: 3440

1.2 Recommended Use: Laboratory Chemicals

**1.3 Company:** NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT
CALL CHEMTREC: 1-800-424-9300
Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

### 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 2

Skin corrosion, Category 1

Serious eye damage, Category 1

Acute toxicity (oral), Category 4

Acute toxicity (dermal), Category 4

Acute toxicity (inhalation), Category 4

Carcinogenicity, Category 2

#### 2.2 GHS Label elements

Signal Word DANGER

#### **Pictogram**

#### **Hazard Statement(s):**

- · Highly flammable liquid and vapour
- · Causes severe skin burns and eye damage
- · Suspected of causing cancer
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled

### **Precautionary Statement(s):**

#### **Prevention:**

- · Obtain special instructions before use.
- · Do not handle until all safety precautions have been read and understood.
- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- · Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.
- · Take precautionary measures against static discharge.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- · Avoid breathing dust/fume/gas/mist/vapours/spray.
- · Use only outdoors or in a well-ventilated area.



Revision Date: 1/11/2025

Version 1.5

### Response:

Part Number: 9155

- · In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing.
- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

#### Storage:

- · Store in a well ventilated place. Keep cool.
- · Store locked up.

#### Disposal:

- Dispose of contents/ container to an approved waste disposal plant.
- **2.3 Description of any hazards not otherwise classified** None
- 2.4 >1% of mixture with unknown acute toxicity None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

See component SDS.

## 4. FIRST-AID MEASURES

See component SDS.

#### 5. FIRE-FIGHTING MEASURES

See component SDS.

### 6. ACCIDENTAL RELEASE MEASURES

See component SDS.

#### 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces — No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

## 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

See component SDS.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

See component SDS.

#### 10. STABILITY AND REACTIVITY

See component SDS.

#### 11. TOXICOLOGICAL INFORMATION



Revision Date: 1/11/2025

Version 1.5

Part Number: 9155

See component SDS.

## 12. ECOLOGICAL INFORMATION

See component SDS.

## 13. DISPOSAL CONSIDERATIONS

See component SDS.

## 14. TRANSPORT INFORMATION

14.1 DOT (US)

**UN-Number** UN1170

**Proper shipping name** Ethanol Solutions



Hazard class 3
Packing group II

**Environmental hazards** No data available

#### 15. REGULATORY INFORMATION

**15.1** No data available

#### 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/22/2025

Version 1.5

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9155

Luxol Fast Blue (LFB) - Cresyl Violet Stain Kit, Sol'n A: Luxol Fast Blue Stain 1.1 **Product Name:** 

0.1%, Alcoholic

9155 **Part Number:** 

Not applicable CAS-No.:

**SDS Number:** 3440

**Laboratory Chemicals** 1.2 **Recommended Use:** 

1.3 Company: **NEWCOMER SUPPLY** 

> 1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799 Fax: 1-608-831-0866

Website: www.newcomersupply.com **Email:** info@newcomersupply.com 24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300

Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 2

Serious Eye Damage/Eye irritation, Category 2A

Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4

Acute toxicity (inhalation), Category 4

Carcinogenicity, Category 2

## 2.2 GHS Label elements

**DANGER Signal Word** 

#### **Pictogram**







#### **Hazard Statement(s):**

- · Highly flammable liquid and vapour
- · Causes serious eye irritation
- · Suspected of causing cancer
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled

## **Precautionary Statement(s):**

#### **Prevention:**

- · Obtain special instructions before use.
- · Do not handle until all safety precautions have been read and understood.
- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- · Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.
- · Take precautionary measures against static discharge.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- · Avoid breathing dust/fume/gas/mist/vapours/spray.
- · Use only outdoors or in a well-ventilated area.



Revision Date: 1/22/2025

Version 1.5

### Response:

Part Number: 9155

- · In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

- · If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · IF exposed or concerned: Get medical advice/attention.

#### Storage:

- · Store in a well ventilated place. Keep cool.
- · Store locked up.

#### Disposal:

· Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

## **Hazardous Components**

Componer	nt	Concentration
Name	Ethyl Alcohol	
CAS-No.	64-17-5	82-83%
Name	Isopropyl Alcohol	
CAS-No.	67-63-0	8-9%
Name	Methyl Alcohol	
CAS-No.	67-56-1	3-4%
Name	Methyl Isobutyl Ketone	
CAS-No.	108-10-1	<1%
Name	Glacial Acetic Acid	
CAS-No.	64-19-7	0.5%

#### 4. FIRST-AID MEASURES

## 4.1 Description of necessary measures

#### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Ingestion (swallowed)**

IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.



Revision Date: 1/22/2025

Part Number: 9155 Version 1.5

## 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIRE-FIGHTING MEASURES

### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

## 5.2 Specific hazards arising from the substance or mixture

No data available

### 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

### **NFPA Rating**

Health Fire Reactivity
hazard: 2 hazard: 3 hazard: 0

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8.2). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

#### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8.2). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces — No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Ethyl Alcohol	64-17-5	OSHA PEL	TWA	1000 ppm (1900 mg/m³)
		ACGIH TLV	TWA	1000 ppm (1880 mg/m³)
		NIOSH REL	TWA	1000 ppm (1900 mg/m <sup>3</sup> )



Part Number: 9155

# **SAFETY DATA SHEET (SDS)**

Revision Date: 1/22/2025

Version 1.5

Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (980 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	200 ppm (1,230 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	50 ppm (1,230 mg/m <sup>3</sup> )
		NIOSH REL	TWA	200 ppm (980 mg/m <sup>3</sup> )
		NIOSH REL	STEL	250 ppm (980 mg/m <sup>3</sup> )
Component	CAS-No.	Regulatory	Value	Parameters
sopropyl Alcohol	67-63-0	OSHA PEL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	400 ppm (983 mg/m³)
		ACGIH TLV	STEL	500 ppm (1,230 mg/m <sup>3</sup> )
		NIOSH REL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		NIOSH REL	STEL	500 ppm (980 mg/m <sup>3</sup> )
Component	CAS-No.	Regulatory	Value	Parameters
Methyl Isobutyl				2
Ketone	108-10-1	OSHA PEL	TWA	100 ppm (410 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	50 ppm (205 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	75 ppm (307 mg/m <sup>3</sup> )
		NIOSH REL	TWA	50 ppm (205 mg/m <sup>3</sup> )
		NIOSH REL	STEL	75 ppm (300 mg/m <sup>3</sup> )
Component	CAS-No.	Regulatory	Value	Parameters
Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	15 ppm (37 mg/m <sup>3</sup> )
		NIOSH REL	TWA	10 ppm (25 mg/m <sup>3</sup> )

## 8.2 Exposure Controls

## **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

## 8.3 Personal Protective Equipment

## **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

## **Body Protection**

No data available

## **Respiratory Protection**

No data available



Revision Date: 1/22/2025

Version 1.5

#### Other Information

None

Part Number: 9155

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state
Odor
Odor threshold
PH
No data available
Melting point/freezing point
No data available

Flash point 13°C (55.4°F) Closed cup (Ethyl Alcohol)

Evaporation rate 1.7 (Ethyl Alcohol) Flammability (solid, gas) Liquid is flammable

Upper flammability or explosive limits 19% Lower flammability or explosive limits 3%

Vapor pressure No data available Vapor density 1.6 (Ethyl Alcohol)

Relative density 0.789

Solubility(ies) Miscible with water and many organic liquids

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
No data available
No data available
No data available

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

## 10.5 Incompatible materials

Strong oxidizers, potassium dioxide, bromine pentafluoride, acetyl bromide, acetyl chloride, platinum, sodium concentrated sulfuric acid, potassium and hydrogen peroxides, platinum black, calcium hypochlorite, silver oxide, ammonia, nitric acid, mercuric nitrate, silver nitrate, magnesium perchlorate, isocyanates, mineral acids, and chloroform.

## 10.6 Hazardous decomposition products

No data available

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects Inhalation exposure

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath. Breathing methyl isobutyl ketone can irritate the nose and throat causing coughing and wheezing. Breathing methyl isobutyl ketone vapor can cause headache, loss of appetite, nausea, vomiting, and diarrhea.



Revision Date: 1/22/2025

Version 1.5

### **Oral exposure**

Part Number: 9155

Oral exposure to ethyl alcohol, methyl alcohol, and isopropyl alcohol can cause headache, drowsiness, nausea and vomiting, and unconsciousness. It can also affect concentration and vision.

#### **Dermal exposure**

Contact can irritate the skin.

#### Skin corrosion/irritation

Prolonged or repeated exposure can cause drying and cracking of the skin with peeling, redness and itching.

#### Serious eve damage/irritation

Contact can irritate and burn the eyes.

#### Respiratory or skin sensitization

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath.

#### **Germ Cell mutagenicity**

No data available

#### Reproductive toxicity

Repeated oral exposure to ethyl alcohol may cause spontaneous abortions, as well as birth defects and other developmental problems. This condition is referred to as "fetal alcohol syndrome." There is limited evidence that oral exposure to ethyl alcohol may decrease fertility in males.

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

Repeated high exposure may affect the liver and the nervous system.

#### **Aspiration hazard**

No data available

#### **Acute toxicity (Ethyl Alcohol)**

LD50 rat oral 3450 mg/kg

LD50 mouse oral 7060 mg/kg

LC50 rat inhalation 20000 ppm/10H

LC50 mouse inhalation 20363 ppm/4H

## Carcinogencity

IARC: Methyl Isobutyl Ketone: Group 2B Possible human carcinogen

NTP: None of the components are listed OSHA: None of the components are listed

## Additional information

RTECS: No data available

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available



Revision Date: 1/22/2025

Version 1.5

## 12.4 Mobility in soil

Part Number: 9155

No data available

## 12.5 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste disposal methods

#### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### 14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number UN1170

**Proper shipping name** Ethanol Solutions

Hazard class 3
Packing group II

**Environmental hazards** No data available

## 15. REGULATORY INFORMATION

## 15.1 No data available

#### 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/22/2025

Version 1.5

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9155

Luxol Fast Blue (LFB) - Cresyl Violet Stain Kit, Sol'n B: Lithium Carbonate, 0.5%

Aqueous Solution

Part Number: 9155

**CAS-No.:** Not applicable

SDS Number: 4950

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200) Acute toxicity (oral), Category 4

Serious Eye Damage/Eye irritation, Category 2A

#### 2.2 GHS Label elements

Signal Word WARNING

**Pictogram** 



#### **Hazard Statement(s):**

- · Causes serious eye irritation
- · Harmful if swallowed

#### **Precautionary Statement(s):**

#### **Prevention:**

- · Wash skin thoroughly after handling.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Do not eat, drink or smoke when using this product.

#### Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

- · If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.

## Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

## **Hazardous Components**

Componen	t	Concentration
Name	Lithium Carbonate	
CAS-No.	554-13-2	1-2%



Revision Date: 1/22/2025

Version 1.5

## 4. FIRST-AID MEASURES

Part Number: 9155

#### 4.1 Description of necessary measures

## Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

#### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell.

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

#### Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

#### 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

## 5.2 Specific hazards arising from the substance or mixture

No data available

#### 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

#### **NFPA Rating**

Health Fire Reactivity hazard: 0 hazard: 0 hazard: 0

#### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

#### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent turther leakage it possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.



Revision Date: 1/22/2025

Version 1.5

### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control Parameters

Part Number: 9155

Does not contain components with occupational exposure limits.

#### 8.2 Exposure Controls

### **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

#### 8.3 Personal Protective Equipment

## **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

#### **Respiratory Protection**

No data available

#### Other Information

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Translucent, colorless liquid

Odor Odorless

Odor threshold No data available No data available рΗ Melting point/freezing point ca. 0°C (ca. 32°F) Initial boiling point and boiling range ca. 100°C (ca. 32°F) Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density Similar to water Water soluble Solubility(ies) Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity No data available

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

www.newcomersupply.com



Revision Date: 1/22/2025

Version 1.5

No data available

### 10.2 Chemical stability

Part Number: 9155

Stable in a closed container within label-specified storage temperature and expiration date.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Strong oxidizers, strong acids, and fluorine

## 10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide, and lithium oxides

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## Inhalation exposure

No data available

#### **Oral exposure**

No data available

## **Dermal exposure**

No data available

#### Skin corrosion/irritation

No data available

## Serious eye damage/irritation

Lithium carbonate may cause serious damage to eyes.

## Respiratory or skin sensitization

No data available

#### **Germ Cell mutagenicity**

No data available

#### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

## **Acute toxicity**

Lithium Carbonate:

LD50 rat oral 525 mg/kg

## Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

## **Additional information**



Revision Date: 1/22/2025

Version 1.5

## Part Number: 9155

RTECS: No data available

## 12. ECOLOGICAL INFORMATION

## 12.1 Ecotoxicity

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste disposal methods

#### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### 14. TRANSPORT INFORMATION

## 14.1 DOT (US)

UN-Number No data available
Proper shipping name No data available
Hazard class No data available
Packing group No data available
Environmental hazards No data available

#### 15. REGULATORY INFORMATION

#### **15.1** No data available

## 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/22/2025

Version 1.5

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9155

Luxol Fast Blue (LFB) - Cresyl Violet Stain Kit, Sol'n C: Cresyl Violet Stain,

**Aqueous** 

Part Number: 9155

**CAS-No.:** Not applicable

SDS Number: 2570

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill,

leak, fire, exposure or other accident.

## 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

None

#### 2.2 GHS Label elements

Signal Word NONE

**Pictogram** 

## **Hazard Statement(s):**

· None

**Precautionary Statement(s):** 

· None

2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture

#### **Hazardous Components**

Compone	nt	Concentration
Name	Glacial Acetic Acid	
CAS-No.	64-19-7	<1%
Name	Cresyl Violet Acetate	
CAS-No.	10510-54-0	<1%

### 4. FIRST-AID MEASURES

### 4.1 Description of necessary measures

## Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

#### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell.



Revision Date: 1/22/2025

Version 1.5

## **Eye Contact**

Part Number: 9155

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

#### **Ingestion (swallowed)**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel

## 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIRE-FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

## 5.2 Specific hazards arising from the substance or mixture

No data available

## 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

## **NFPA Rating**

Health Fire Reactivity hazard: 0 hazard: 0 hazard: 0

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use.

#### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

#### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Does not contain components with occupational exposure limits.

## 8.2 Exposure Controls

## **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises.



Revision Date: 1/22/2025

Version 1.5

## 8.3 Personal Protective Equipment

## **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Part Number: 9155

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

#### **Body Protection**

No data available

## **Respiratory Protection**

No data available

#### Other Information

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Opaque yellow liquid; greenish black liquid sediment

Physical state may precipitate out Odor Mild vinegar odor Odor threshold No data available pH No data available Melting point/freezing point ca. 0°C (ca. 32°F) Initial boiling point and boiling range Flash point No data available

Evaporation rate Evap. rate of water = 1; 1

Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure 18 mm Hg at 20°C Vapor density For water in air = 1; 1 Relative density Similar to water Solubility(ies) Water soluble Partition coefficient: n-octanol/water No data available

Auto-ignition temperature

Decomposition temperature

Viscosity

No data available

No data available

No data available

1.222 (mPa)(s) at 20°C

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong oxidizing agents and strong bases



Revision Date: 1/22/2025

Version 1.5

## 10.6 Hazardous decomposition products

No data available

## 11. TOXICOLOGICAL INFORMATION

Part Number: 9155

## 11.1 Information on toxicological effects

**Inhalation** exposure

No data available

#### **Oral exposure**

No data available

## **Dermal exposure**

No data available

## Skin corrosion/irritation

No data available

## Serious eye damage/irritation

No data available

## Respiratory or skin sensitization

No data available

## **Germ Cell mutagenicity**

No data available

#### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

## **Acute toxicity**

No data available

## Carcinogencity

IARC: None of the components are listed IARC: None of the components are listed IARC: None of the components are listed

## **Additional information**

RTECS: No data available

## 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available



Revision Date: 1/22/2025

Version 1.5

## 12.5 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

Part Number: 9155

## 13.1 Waste disposal methods

#### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## 14. TRANSPORT INFORMATION

## 14.1 DOT (US)

UN-Number
Proper shipping name
Hazard class
Packing group
No data available

#### 15. REGULATORY INFORMATION

## **15.1** No data available

#### 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/22/2025

Version 1.5

## 1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9155

1.1 Product Name: Luxol Fast Blue (LFB) - Cresyl Violet Stain Kit, Sol'n D: Acetic Acid 10%,

Part Number: 9155

**CAS-No.:** Not applicable

SDS Number: 2030

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

**Telephone:** 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT
CALL CHEMTREC: 1-800-424-9300
Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

### 2. HAZARD(S) IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Skin corrosion, Category 1

Serious eye damage, Category 1

2.2 GHS Label elements

Signal Word DANGER

**Pictogram** 



#### **Hazard Statement(s):**

· Causes severe skin burns and eye damage

## **Precautionary Statement(s):**

#### **Prevention:**

- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.

## **Response:**

- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

## Storage:

· Store locked up.

## Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixture



Revision Date: 1/22/2025

Version 1.5

## **Hazardous Components**

Componer	nt	Concentration
Name	Acetic Acid Glacial	
CAS-No.	64-19-7	10%

#### 4. FIRST-AID MEASURES

Part Number: 9155

#### 4.1 Description of necessary measures

### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

#### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

#### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

#### **Ingestion (swallowed)**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

## 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIRE-FIGHTING MEASURES

## 5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

### 5.2 Specific hazards arising from the substance or mixture

No data available

#### 5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

#### **NFPA Rating**

Health Fire Reactivity
hazard: 1 hazard: 0 hazard: 0

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8.2). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

#### 6.2 Methods and material for containment and cleaning up



Revision Date: 1/22/2025

Part Number: 9155 Version 1.5

Apply personal protective equipment (see Section 8.2). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

#### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	15 ppm (37 mg/m³)
		NIOSH REL	TWA	10 ppm (25 mg/m <sup>3</sup> )
		NIOSH REL	STEL	15 ppm (37 mg/m <sup>3</sup> )

#### 8.2 Exposure Controls

## **Appropriate engineering controls**

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

## 8.3 Personal Protective Equipment

## **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

#### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

## **Body Protection**

No data available

#### **Respiratory Protection**



Part Number: 9155

## **SAFETY DATA SHEET (SDS)**

Revision Date: 1/22/2025

Version 1.5

Respirators should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Where the potential exists for exposure over 10 ppm: use a NIOSH approved full facepiece respirator with an organic vapor cartridge. Increased protection is obtained from full facepiece powered-air purifying respirators. If while wearing a filter or cartridge respirator you can smell, taste, or otherwise detect acetic acid, or if while wearing particulate filters abnormal resistance to breathing is experienced, or eye irritation occurs while wearing a full facepiece respirator, leave the area immediately. Check to make sure the respirator-to-face seal is still good. It if is, replace the filter or cartridge. If the seal is no longer good, you may need a new respirator.

Where the potential exists for exposure over 100 ppm, use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.

In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

#### Other Information

None

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Physical state Colorless liquid Odor Vinegar odor Odor threshold No data available рΗ No data available Melting point/freezing point No data available Initial boiling point and boiling range No data available No data available Flash point **Evaporation rate** No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density No data available

Solubility(ies) Infinitely soluble with water

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
No data available
No data available
No data available

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

#### 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid



Revision Date: 1/22/2025

Version 1.5

No data available

Part Number: 9155

### 10.5 Incompatible materials

Strong oxidizing agents (especially chromic acid, sodium peroxide and nitric acid), strong reducing agents, metals, strong acids, and strong bases.

#### 10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

#### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Inhalation exposure

Human data (Glacial Acetic Acid): Marked irritation of the eyes, nose, and upper respiratory tract which could not be tolerated for more than 3 minutes was noted at 816 to 1,226 ppm.

#### Oral exposure

No data available

#### **Dermal exposure**

No data available

#### Skin corrosion/irritation

Human data (Glacial Acetic Acid): It has been reported that 50 ppm or more is intolerable to most persons due to intense lacrimation and irritation of the eyes, nose, and throat. It has also been stated that repeated exposures to high concentrations may produce respiratory tract irritation with pharyngeal edema and chronic bronchitis.

#### Serious eye damage/irritation

Human data (Glacial Acetic Acid): It has been reported that 50 ppm or more is intolerable to most persons due to intense lacrimation and irritation of the eyes, nose, and throat.

#### Respiratory or skin sensitization

Glacial Acetic Acid: It has been stated that repeated exposures to high concentrations may produce respiratory tract irritation with pharyngeal edema and chronic bronchitis.

### Germ cell mutagenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Acute toxicity**

Glacial Acetic Acid:

LD50 rat oral 3310 mg/kg

LD50 rabbit skin 1060uL/kg

LD50 mouse intravenous 525mg/kg

LC50 mouse inhalation 5620ppm/1H

### Carcinogencity



Revision Date: 1/22/2025

Version 1.5

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

Additional information RTECS: No data available

## 12. ECOLOGICAL INFORMATION

## 12.1 Ecotoxicity

Part Number: 9155

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste disposal methods

#### **Contents**

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

## 14. TRANSPORT INFORMATION

#### 14.1 DOT (US)

UN-Number
Proper shipping name
Hazard class
Packing group
No data available

## 15. REGULATORY INFORMATION

#### **15.1** No data available

#### 16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.