

SAFETY DATA SHEET (SDS)

Revision Date: 1/11/2025 Version 1.6

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	Steiner-Chapman Modified Silver Stain Kit 9172 Not applicable 6300		
1.2	Recommended Use:	Laboratory Chemicals		
1.3	Company:	NEWCOMER SUPPLY 1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300	
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of	
	Fax:	1-608-831-0866	an emergency involving a chemical spill,	
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.	
	Email:	info@newcomersupply.com		

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200) Flammable liquid, Category 2 Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4 Acute toxicity (inhalation), Category 4 Skin corrosion, Category 1 Serious eye damage, Category 1 Skin sensitisation, Category 1 Carcinogenicity, Category 1A Specific Target Organ Toxicity – Single exposure, Category 1 Specific Target Organ Toxicity – Single exposure, Category 2 Germ cell mutagenicity, Category 2

2.2 GHS Label elements Signal Word

DANGER





Hazard Statement(s):

- · Highly flammable liquid and vapour
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes severe skin burns and eye damage
- · May cause an allergic skin reaction
- · May cause cancer
- · Causes damage to organs
- · May cause damage to organs through prolonged or repeated exposure
- · Suspected of causing genetic defects

Precautionary Statement(s):

Prevention:

- · Obtain special instructions before use.
- · Do not handle until all safety precautions have been read and understood.
- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- \cdot Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.



Part Number: 9172

- Take precautionary measures against static discharge.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · Wash skin thoroughly after handling.
- \cdot Do not eat, drink or smoke when using this product.
- · Use only outdoors or in a well-ventilated area.
- · Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection. **Response:**
- In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.
- · If skin irritation or a rash occurs: Get medical advice/attention.
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- \cdot Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

Storage:

- · Store in a well ventilated place. Keep cool.
- · Keep container tightly closed.
- \cdot Store locked up.
- Disposal:

• Dispose of contents/ container to an approved waste disposal plant.

- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

See component SDS

4. FIRST-AID MEASURES

See component SDS

5. FIRE-FIGHTING MEASURES

See component SDS

6. ACCIDENTAL RELEASE MEASURES

See component SDS

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 1/11/2025

Version 1.6

ͶϴϢϲϘϺϴΓʹϳʹͲΡΡͰϒ

Part Number: 9172

See component SDS

9. PHYSICAL AND CHEMICAL PROPERTIES

See component SDS

10. STABILITY AND REACTIVITY

See component SDS

11. TOXICOLOGICAL INFORMATION

See component SDS

12. ECOLOGICAL INFORMATION

See component SDS

13. DISPOSAL CONSIDERATIONS

See component SDS

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number
Proper shipping name
Hazard class
Packing group
Environmental hazards

No data available No data available No data available No data available No data available

15. REGULATORY INFORMATION

See component SDS

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © Newcomer Supply Inc. All rights reserved.

www.newcomersupply.com

SAFETY DATA SHEET (SDS)

Revision Date: 1/11/2025 Version 1.6

ΝΕΨζΟΜΕΙ

Part Number: 9172

SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025 Version 1.8

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	Steiner-Chapman Modified Silver S 9172 Not applicable 4830	tain Kit, Sol'n A: Zinc Formalin Sensitizer		
1.2	Recommended Use:	Laboratory Chemicals			
1.3	Company:	NEWCOMER SUPPLY 1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300		
	Telephone: 1-800-383-7799 Fax: 1-608-831-0866	1-800-383-7799	Contact CHEMTREC only in the event of		
		an emergency involving a chemical spill,			
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.		
	Email:	info@newcomersupply.com			

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200) Acute toxicity (oral), Category 4 Acute toxicity (inhalation), Category 4 Skin corrosion, Category 1 Serious eye damage, Category 1 Skin sensitisation, Category 1 Germ cell mutagenicity, Category 2 Carcinogenicity, Category 1A Specific Target Organ Toxicity – Single exposure, Category 1

2.2 GHS Label elements Signal Word DANGER



Hazard Statement(s):

- · Harmful if swallowed
- · Harmful if inhaled

Pictogram

- \cdot Causes severe skin burns and eye damage
- \cdot May cause an allergic skin reaction
- · Suspected of causing genetic defects
- · May cause cancer
- Causes damage to organs

Precautionary Statement(s):

- Prevention:
- \cdot Obtain special instructions before use.
- \cdot Do not handle until all safety precautions have been read and understood.
- · Do not breathe dust/fume/gas/mist/vapors/spray.
- \cdot Wash skin thoroughly after handling.
- \cdot Do not eat, drink or smoke when using this product.
- \cdot Use only outdoors or in a well-ventilated area.
- \cdot Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection. **Response:**
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



Part Number: 9172

Revision Date: 1/4/2025

Version 1.8

- . IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- \cdot Take off contaminated clothing and wash before reuse.
- . IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- \cdot Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

Storage:

· Store locked up.

Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components

Component		Concentration
Name	Formaldehyde	
CAS-No.	50-00-0	3-5%
Name	Methyl Alcohol	· · · · · · · · · · · · · · · · · · ·
CAS-No.	67-56-1	<1%
Name	Zinc Sulfate	
CAS-No.	7733-02-0	2-3%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN: Gently wash with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or a rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

- **4.2** Most important symptoms and or effects, acute and delayed The most important symptoms/effects are presented in Section 2 and or Section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.



SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025 Version 1.8

5.2 Specific hazards arising from the substance or mixture No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating				
Health		Fire		Reactivity
hazard:	2	hazard:	1	hazard: 0

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Ensure proper ventilation. Contain spill. Prevent further leakage if possible and safe to do so. Evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray.Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Formaldehyde	50-00-0	OSHA PEL	TWA	0.75 ppm
		OSHA PEL	STEL	2 ppm
		ACGIH TLV	С	0.3 ppm (0.37 mg/m ³)
		NIOSH REL	TWA	0.016 ppm
		NIOSH REL	С	0.1 ppm 15-minute
				2 ppm 15 minutes (0.37 mg/m ^³
		CANADA/QC	STEV	15 minutes)
		CANADA/ON TWAEV	STEL	1 ppm 15 minutes
		CANADA/ON TWAEV	С	1 ppm
		CANADA/BC	TWA	0.3 ppm 8 hours
		CANADA/BC	С	1 ppm
		CANADA/AB	OEL	0.75 ppm 8 hours
		CANADA/AB	С	1 ppm



Revision Date: 1/4/2025

Version 1.8

Part Number: 9172

Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (260 mg/m ³)
		ACGIH TLV	TWA	200 ppm (262 mg/m ³)
		ACGIH TLV	STEL	50 ppm (328 mg/m ³)
		NIOSH REL	TWA	200 ppm (260 mg/m ³)
		NIOSH REL	STEL	250 ppm (325 mg/m ³)
		CANADA NTNL - OEL	TWA	200 ppm (262 mg/m ³) 8 hr
		CANADA NTNL - OEL	STEL	250 ppm (328 mg/m ³) 15 min

8.2 Exposure Controls

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134). Formaldehyde: Where the potential exists for exposure over 0.016 ppm: use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 20 ppm is immediately dangerous to life and health. If the possibility of exposure above 20 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder. In case of emergency, entry into unknown concentrations, or escape, wear a self-contained positive-pressure breathing apparatus.

Other Information None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Odor Odor threshold pH Melting point/freezing point Colorless liquid Pungent odor No data available No data available No data available



Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper flammability or explosive limits Lower flammability or explosive limits Vapor pressure Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity No data available Water soluble No data available No data available No data available No data available No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

- **10.2** Chemical stability Stable in a closed container within label-specified storage temperature and expiration date.
- **10.3 Possibility of hazardous reactions** No data available

10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

10.5 Incompatible materials

Formaldehyde reacts violently with nitrogen oxides; oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine); mixtures of perchloric acid and aniline; nitromethane; magnesium carbonate; and hydrogen peroxide. Formaldehyde reacts with phenol and hydrogen chloride to form toxic bis(chloromethyl) ether. Formaldehyde is not compatible with strong acids (such as hydrochloric, sulfuric and nitric); strong bases (such as sodium hydroxide and potassium hydroxide); iodine; iron; silver; isocyanates; amines; anhydrides; and liquid oxygen.

10.6 Hazardous decomposition products No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation exposure

Formaldehyde: Difficulty in breathing was experienced at 10 to 20 ppm. Upper airway irritation and increased nasal airway resistance were reported at 0.1 to 25 ppm and lower airway and chronic pulmonary obstruction at 5 to 30 ppm. Inhaling formaldehyde can irritate the lungs. Higher exposures may cause a build-up of fluid in the lungs (pulmonary edema), a medical emergency.

Oral exposure

Acute oral exposure to formaldehyde can result in serious systemic symptoms or death.

Dermal exposure

No data available

Skin corrosion/irritation

Formaldehyde is corrosive and contact can severely irritate and burn the skin.

SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025 Version 1.8



Revision Date: 1/4/2025

Version 1.8

Part Number: 9172

Serious eye damage/irritation

Formaldehyde: 10 to 20 ppm produces almost immediate eye irritation. Most subjects experience irritation of the eyes, nose, and throat at 1 to 3 ppm; many subjects cannot tolerate prolonged exposures to 4 to 5 ppm.

Respiratory or skin sensitization

Formaldehyde: It has been estimated that exposure for 5 to 10 minutes to 50 to 100 ppm might cause serious injury to the lower respiratory passages. Formaldehyde may cause a skin allergy and an asthma-like allergy. Formaldehyde may cause an asthma-like allergy. Future exposure can cause asthma attacks with shortness of breath, wheezing, coughing, and/or chest tightness.

Germ Cell mutagenicity No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Acute toxicity

Formaldehyde: LD50 rat oral 100 mg/kg LD50 rat dermal 270 mg/kg LC50 rat inhalation 0.48 mg/l/4 hours Zinc Sulfate: LD50 mouse oral 245 mg/kg

Carcinogencity

IARC: Formaldehyde: Group 1, carcinogenic to humans NTP: Formaldehyde: Known human carcinogen OSHA: Formaldehyde: Specifically regulated carcinogen

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

- 12.1 Ecotoxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4** Mobility in soil No data available
- **12.5** Other adverse effects No data available

ΝΕΨζΟΜΕΙ<u>Έ</u>υρριΥ°

SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025

Version 1.8

Part Number: 9172

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US) UN-Number Proper shipping name

UN1760 Formaldehyde solution, zinc sulfate solution



15. REGULATORY INFORMATION

Hazard class

Packing group

Environmental hazards

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status

Formaldehyde (50-00-0): LISTED Methanol (67-56-1): LISTED Zinc Sulfate - Sulfuric acid, zinc salt (1:1) (7733-02-0): LISTED

Canada Environmental Emergency Regulations Schedule 1: Listed Substance

Formaldehyde (50-00-0): LISTED

Canada NPRI (Supplier Notification Required): Listed Substance Formaldehyde (50-00-0): LISTED

Export Control List (CEPA, 1999, Schedule 3) Not listed

Non-Regulatory Intsruments Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers) Not listed

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799 <u>www.newcomersupply.com</u> Copyright © Newcomer Supply Inc. All rights reserved.

ΝΕΨζΟΜΕΙ

Part Number: 9172

SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025 Version 1.7

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	Steiner-Chapman Modified Silver Stain Kit, Sol'n B: Silver Nitrate 1%, Aqueous 9172 Not applicable 4230		
1.2	Recommended Use:	Laboratory Chemicals		
1.3	Company:	NEWCOMER SUPPLY 1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300	
		1-800-383-7799	Contact CHEMTREC only in the event of	
		1-608-831-0866	an emergency involving a chemical spill,	
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.	
	Email:	info@newcomersupply.com		

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200) Acute toxicity (oral), Category 4 Skin irritation, Category 2 Serious Eye Damage/Eye irritation, Category 2

WARNING

2.2 GHS Label elements

Signal Word

Pictogram



Hazard Statement(s):

- · Harmful if swallowed
- · Causes skin irritation
- Causes serious eye irritation
 Precautionary Statement(s):
 Prevention:
- Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- Do not eat, drink or smoke when using this product. **Response:**
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · IF ON SKIN: Gently wash with soap and water.
- · Take off contaminated clothing and wash before reuse.
- · If skin irritation occurs: Get medical advice/attention.
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- · If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- \cdot Rinse mouth.
- Specific treatment: see first aid measures in section 4.
- Disposal:
- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None



2.4 >1% of mixture with unknown acute toxicity

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components

Componei	nt	Concentration
Name	Silver Nitrate	
CAS-No.	7761-88-8	1%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact

IF ON SKIN: Gently wash with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

0

NFPA Rat	ing			
Health		Fire		Reactivity
hazard:	1	hazard:	0	hazard:

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

6.2 Methods and material for containment and cleaning up

SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025

Version 1.7



Part Number: 9172

Revision Date: 1/4/2025 Version 1.7

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Component	CAS-No.	Regulatory	Value	Parameters
Silver Nitrate	7761-88-8	OSHA PEL	TWA	0.01 mg/m ³
		ACGIH TLV	TWA	0.01 mg/m ³
		NIOSH REL	TWA	0.01 mg/m ³
		CANADA/QC	TWA	0.01 mg/m ³
		CANADA/ON TWAEV	TWA	0.01 mg/m ³
		CANADA/BC	TWA	0.01 mg/m ³
		CANADA/BC	TWA	0.03 mg/m ³
		CANADA/AB	TWA	0.01 mg/m ³

Components with limit values that require monitoring at the workplace

8.2 Exposure Controls

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

Respirators should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.



SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025 Version 1.7

Other Information

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Clear, colorless liquid
Odor	Odorless
Odor threshold	No data available
рН	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility(ies)	Water soluble
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

Keep away from combustible materials, heat, flame, and sparks.

10.5 Incompatible materials

Silver nitrate reacts with acetylene, in the presence of ammonia, to form silver acetylide, a sensitive and powerful detonator. Silver nitrate reacts violently with combustibles; chlorosulfonic acid and other acids (such as hydrochloric, sulfuric and nitric); metals; metal carbides; reducing agents (such as lithium, sodium, aluminum and their hydrides); and oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine). Silver nitrate is not compatible with ethylene oxide; charcoal; ammonium hydroxide; ethanol; aziridine; arsenic; sulfur; and many other compounds. Silver nitrate attacks some forms of plastic, rubber and coatings.

10.6 Hazardous decomposition products

Nitrogen oxide, oxygen, and silver oxides

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Inhalation exposure No data available



Part Number: 9172

Revision Date: 1/4/2025 Version 1.7

No data available

Dermal exposure No data available

Skin corrosion/irritation Contact with silver nitrate can severely irritate and burn the skin.

Serious eye damage/irritation

Contact with silver nitrate can severely irritate and burn the eyes with possible eye damage.

Respiratory or skin sensitization

No data available

Germ Cell mutagenicity No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Acute toxicity Silver Nitrate: LD50 rat oral 1173 mg/kg

Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

- **12.1 Ecotoxicity** No data available
- **12.2** Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available
- **12.5** Other adverse effects No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods Contents



SAFETY DATA SHEET (SDS)

Revision Date: 1/4/2025

Version 1.7

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US) UN-Number Proper shipping name

UN3082 Silver Nitrate

Hazard class Packing group Environmental hazards

III Marine Pollutant

15. REGULATORY INFORMATION

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status

Silver Nitrate - Nitric acid silver(1+) salt (7761-88-8): LISTED

Canada Environmental Emergency Regulations Schedule 1: Listed Substance Not listed

Canada NPRI (Supplier Notification Required): Listed Substance Not listed

Export Control List (CEPA, 1999, Schedule 3)

Not listed

Non-Regulatory Intsruments Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers) Not listed

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © Newcomer Supply Inc. All rights reserved.

ΝΕΨζΟΜΕΙΩΩΤΗΝΟ

Part Number: 9172

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025 Version 1.7

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name:	Steiner-Chapman Modified Silver Stain Kit, Sol'n C: Gum Mastic 2.5%, Alcoholic		
	Part Number:	9172		
	CAS-No.:	Not applicable		
	SDS Number:	3110		
1.2	Recommended Use:	Laboratory Chemicals		
1.3	Company:	NEWCOMER SUPPLY 1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300	
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of	
	Fax:	1-608-831-0866	an emergency involving a chemical spill,	
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.	
	Email:	info@newcomersupply.com	· · ·	

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture GHS Classification, (in accordance with 29 CFR1910.1200) Flammable liquid, Category 2 Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4 Acute toxicity (inhalation), Category 4 Serious Eye Damage/Eye irritation, Category 2A Skin irritation, Category 2 Specific Target Organ Toxicity – Single exposure, Category 2

2.2 GHS Label elements Signal Word

DANGER

Pictogram



- Hazard Statement(s): • Highly flammable liquid and vapour
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes serious eye irritation
- \cdot Causes skin irritation
- May cause damage to organs Precautionary Statement(s):

Prevention:

- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- \cdot Ground and bond container and receiving equipment
- \cdot Use explosion-proof fume hood/electrical/ventilating/light/equipment
- \cdot Use only non-sparking tools
- \cdot Take precautionary measures against static discharge
- \cdot Wear protective gloves/protective clothing/eye protection/face protection
- \cdot Wash skin thoroughly after handling
- \cdot Do not eat, drink or smoke when using this product
- \cdot Use only outdoors or in a well-ventilated area
- · Do not breathe dust/fume/gas/mist/vapors/spray

ͶϴϢϲϘϺϴΓʹͽϓͿϘϷͰϒ

Part Number: 9172

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025 Version 1.7

Response:

- \cdot In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- \cdot Wash contaminated clothing before reuse.
- \cdot If skin irritation occurs: Get medical advice/attention.
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and
- easy to do. Continue rinsing.
- \cdot If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- \cdot Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- IF exposed or concerned: Get medical advice/attention. **Storage:**
- · Store in a well ventilated place. Keep cool.
- · Store locked up.

Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous Components

Compone	nt	Concentration
Name	Ethyl Alcohol	
CAS-No.	64-17-5	87-88%
Name	Methyl Alcohol	
CAS-No.	67-56-1	4-5%
Name	Isopropyl Alcohol	
CAS-No.	67-63-0	4-5%
Name	Gum Mastic	
CAS-No.	61789-92-2	2-4%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.



Revision Date: 1/5/2025

Version 1.7

Part Number: 9172

- **4.2** Most important symptoms and or effects, acute and delayed The most important symptoms/effects are presented in Section 2 and or Section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

5. FIRE-FIGHTING MEASURES

- **5.1** Suitable extinguishing media Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.
- 5.2 Specific hazards arising from the substance or mixture No data available
- **5.3 Protective equipment and precautions for fire-fighters** Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating					
Health		Fire		Reactivity	
hazard:	2	hazard:	3	hazard: 0	

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace				
Component	CAS-No.	Regulatory	Value	Parameters
Ethyl Alcohol	64-17-5	OSHA PEL	TWA	1000 ppm (1900 mg/m ³)
		ACGIH TLV	TWA	1000 ppm (1880 mg/m ³)
		NIOSH REL	TWA	1000 ppm (1900 mg/m ³)

www.newcomersupply.com



Revision Date: 1/5/2025

Part Number: 9172

Version 1.7

		CANADA/ON TWAEV	STEL	1000 ppm (1880 mg/m ³)
		CANADA/QC	STEL	1000 ppm (1880 mg/m ³)
		CANADA/AB	TWA	1000 ppm (1880 mg/m ³)
		CANADA/BC	STEL	1000 ppm
Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (980 mg/m ³)
		ACGIH TLV	STEL	200 ppm (1,230 mg/m ³)
		ACGIH TLV	STEL	50 ppm (1,230 mg/m ³)
		NIOSH REL	TWA	200 ppm (980 mg/m ³)
		NIOSH REL	STEL	250 ppm (980 mg/m ³)
		CANADA NTNL - OEL	TWA	200 ppm (262 mg/m ³) 8 hr
		CANADA NTNL - OEL	STEL	250 ppm (328 mg/m ³) 15 min
Component	CAS-No.	Regulatory	Value	Parameters
Isopropyl Alcohol	67-63-0	OSHA PEL	TWA	400 ppm (980 mg/m ³)
		ACGIH TLV	TWA	400 ppm (983 mg/m ³)
		ACGIH TLV	STEL	500 ppm (1,230 mg/m ³)
		NIOSH REL	TWA	400 ppm (980 mg/m ³)
		NIOSH REL	STEL	500 ppm (980 mg/m ³)
		CANADA/ON TWAEV	TWA	200 ppm
		CANADA/ON TWAEV	STEL	400 ppm
		CANADA/QC	TWA	400 ppm (980 mg/m ³)
		CANADA/QC	STEL	500 ppm (1230 mg/m ³)
		CANADA/BC	TWA	200 ppm
		CANADA/BC	STEL	400 ppm
		CANADA/AB	TWA	200 ppm (492 mg/m ³)
		CANADA/AB	STEL	400 ppm (984 mg/m ³)

8.2 Exposure Controls

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection



Part Number: 9172

Revision Date: 1/5/2025 Version 1.7

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Ethyl Alcohol: Where the potential exists for exposure over 1,000 ppm: use a NIOSH approved suppliedair respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 3,300 ppm is immediately dangerous to life and health. If the possibility of exposure above 3,300 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder.

In case of emergency, entry into or escape from unknown concentrations select the highest level approved respiratory protection available.

Other Information

None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Translucent, light tan-peach liquid
Odor	Alcoholic odor
Odor threshold	No data available
рН	No data available
Melting point/freezing point	-114°C (-173.2°F) (Ethyl Alcohol)
Initial boiling point and boiling range	78-80°C (172-176°F) (Ethyl Alcohol)
Flash point	13°C (55.4°F) Closed cup
Evaporation rate	1.7 (Ethyl Alcohol)
Flammability (solid, gas)	Liquid is flammable
Upper flammability or explosive limits	19% (Ethyl Alcohol)
Lower flammability or explosive limits	3.3% (Ethyl Alcohol)
Vapor pressure	No data available
Vapor density	1.6 (Ethyl Alcohol)
Relative density	0.789 (Ethyl Alcohol)
Solubility(ies)	Water soluble
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

10.5 Incompatible materials



Part Number: 9172

Revision Date: 1/5/2025 Version 1.7

Strong oxidizers, potassium dioxide, bromine pentafluoride, acetyl bromide, acetyl chloride, platinum, sodium concentrated sulfuric acid, potassium and hydrogen peroxides, platinum black, calcium hypochlorite, silver oxide, ammonia, nitric acid, mercuric nitrate, silver nitrate, magnesium perchlorate, isocyanates, mineral acids, and chloroform.

10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation exposure

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath.

Oral exposure

Oral exposure to ethyl alcohol, methyl alcohol, and isopropyl alcohol can cause headache, drowsiness, nausea and vomiting, and unconsciousness. It can also affect concentration and vision.

Dermal exposure

Contact with ethyl alcohol can irritate the skin.

Skin corrosion/irritation

Prolonged or repeated exposure to ethyl alcohol can cause drying and cracking of the skin with peeling, redness and itching.

Serious eye damage/irritation

Contact with ethyl alcohol can irritate the eyes.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity No data available

Reproductive toxicity

Repeated oral exposure to ethyl alcohol may cause spontaneous abortions, as well as birth defects and other developmental problems. This condition is referred to as "fetal alcohol syndrome." There is limited evidence that oral exposure to ethyl alcohol may decrease fertility in males.

Specific target organ toxicity - single exposure

Exposure to ethyl alcohol may affect the liver and the nervous system.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard No data available

Acute toxicity

Ethyl Alcohol: LD50 rat oral 3450 mg/kg LD50 mouse oral 7060 mg/kg LC50 rat inhalation 20000 ppm/10H LC50 mouse inhalation 20363 ppm/4H

Carcinogencity

IARC: None of the components are listed



SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025 Version 1.7

NTP: None of the components are listed OSHA: None of the components are listed

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

- 12.1 Ecotoxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5** Other adverse effects No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US)

15. R

UN-Number Proper shipping name	UN1170 Ethanol Solutions
Hazard class	3
Packing group	II
Environmental hazards	No data available
EGULATORY INFORMATION	

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status

Ethyl Alcohol (64-17-5): LISTED Methyl Alcohol (67-56-1): LISTED Isopropyl Alcohol (67-63-0): LISTED Gum Mastic (61789-92-2): LISTED



SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025 Version 1.7

Canada Environmental Emergency Regulations Schedule 1: Listed Substance Not listed

Canada NPRI (Supplier Notification Required): Listed Substance

Ethyl Alcohol (64-17-5): LISTED Methyl Alcohol (67-56-1): LISTED Isopropyl Alcohol (67-63-0): LISTED

Export Control List (CEPA, 1999, Schedule 3) Not listed

Non-Regulatory Intsruments Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers) Not listed

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © Newcomer Supply Inc. All rights reserved.

ΝΕΨζΟΜΕΙ

Part Number: 9172

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025 Version 1.7

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	Steiner-Chapman Modified Silver Stain Kit, Sol'n D: Hydroquinone, Powder 9172 123-31-9 3320		
1.2	Recommended Use:	Laboratory Chemicals		
1.3	Company: NEWCOMER SUPPLY 1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512	1020 PRAIRIE VIEW CT	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300	
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of	
	Fax:	1-608-831-0866	an emergency involving a chemical spill,	
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.	
	Email:	info@newcomersupply.com		

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200) Acute toxicity (oral), Category 4 Serious eye damage, Category 1 Skin sensitisation, Category 1 Germ cell mutagenicity, Category 2 Carcinogenicity, Category 2 Acute aquatic toxicity, Category 1

2.2 GHS Label elements Signal Word D

DANGER

Pictogram

Hazard Statement(s):

\cdot Harmful if swallowed

- · May cause an allergic skin reaction
- · Causes serious eye damage
- · Suspected of causing genetic defects
- · Suspected of causing cancer
- Very toxic to aquatic life with lasting effects **Precautionary Statement(s):**

Prevention:

- · Wash skin thoroughly after handling.
- \cdot Do not eat, drink or smoke when using this product.
- \cdot Wear protective gloves/protective clothing/eye protection/face protection.
- · Obtain special instructions before use.
- \cdot Do not handle until all safety precautions have been read and understood.
- Avoid release to the environment.

Response:

- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- \cdot Rinse mouth.
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and
- easy to do. Continue rinsing.
- · IF exposed or concerned: Get medical advice/attention.
- \cdot Collect spillage.
- Storage:



Part Number: 9172

Revision Date: 1/5/2025 Version 1.7

- \cdot Store locked up.
- Disposal:
- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous Components

Component		Concentration
Name	Hydroquinone	
CAS-No.	123-31-9	99-100%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

Eye Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

- **4.2** Most important symptoms and or effects, acute and delayed The most important symptoms/effects are presented in Section 2 and or Section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

- 5.2 Specific hazards arising from the substance or mixture No data available
- 5.3 Protective equipment and precautions for fire-fighters Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating					
Health		Fire		Reactivity	
hazard:	2	hazard:	1	hazard: 0	

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

www.newcomersupply.com



Part Number: 9172

Revision Date: 1/5/2025 Version 1.7

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Hydroquinone	123-31-9	OSHA PEL	TWA	2 mg/m ³
		ACGIH TLV	TWA	2 mg/m ³
		NIOSH REL	С	2 mg/m ³ (15 minutes)
		CANADA/QC	TWA	2 mg/m^3
		CANADA/ON	TWA	2 mg/m ³
		CANADA/BC	TWA	1 mg/m ³
		CANADA/AB	TWA	2 mg/m ³

8.2 Exposure Controls

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection No data available

Other Information



None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Information on basic physical and chemical properties			
	Physical state	Colorless, fine crystalline solid	
	Odor	Odorless	
	Odor threshold	No data available	
	рН	No data available	
	Melting point/freezing point	170°C (338°F)	
	Initial boiling point and boiling range	285°C (545 °F)	
	Flash point	No data available	
	Evaporation rate	No data available	
	Flammability (solid, gas)	No data available	
	Upper flammability or explosive limits	No data available	
	Lower flammability or explosive limits	No data available	
	Vapor pressure	No data available	
	Vapor density	1.332	
	Relative density	No data available	
	Solubility(ies)	Water soluble	
	Partition coefficient: n-octanol/water	No data available	
	Auto-ignition temperature	No data available	
	Decomposition temperature	No data available	
	Viscosity	No data available	

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

- **10.2 Chemical stability** No data available
- **10.3 Possibility of hazardous reactions** No data available
- **10.4** Conditions to avoid No data available
- **10.5** Incompatible materials Strong bases and strong oxidizing agents
- **10.6 Hazardous decomposition products** No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Inhalation exposure No data available

> **Oral exposure** No data available

Dermal exposure No data available

Skin corrosion/irritation Contact can irritate the skin and cause a rash and changes in skin color.

Serious eye damage/irritation

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025 Version 1.7

ͶϴϢϲϘϺϴΓʹͽϓͿϘϘͰͿΫ

Part Number: 9172

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025 Version 1.7

Hydroquinone can irritate and may burn the eyes.

Respiratory or skin sensitization

No data available

Germ Cell mutagenicity No data available

Reproductive toxicity

Hydroquinone may decrease fertility in males and females.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Acute toxicity No data available

Carcinogencity

IARC: Group 3, not classifiable as to its carcinogenicity to humans NTP: None of the components are listed OSHA: None of the components are listed

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

- 12.1 Ecotoxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Other adverse effects No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US) UN-Number

UN3077



Proper shipping name

Environmental hazards


SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025

Version 1.7

Part Number: 9172

Environmentally hazardous substances, solid, n.o.s.



15. REGULATORY INFORMATION

Hazard class

Packing group

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status Hydroquinone - 1,4-Benzenediol (123-31-9): LISTED

Canada Environmental Emergency Regulations Schedule 1: Listed Substance Hydroquinone - 1,4-Benzenediol (123-31-9): LISTED

Canada NPRI (Supplier Notification Required): Listed Substance Hydroquinone - 1,4-Benzenediol (123-31-9): LISTED

Export Control List (CEPA, 1999, Schedule 3)

Not listed

Non-Regulatory Intsruments

Not listed

Significant New Activity (SNAc) Orders and Notices Hydroquinone - 1,4-Benzenediol (123-31-9): LISTED

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799 <u>www.newcomersupply.com</u> Copyright © Newcomer Supply Inc. All rights reserved.