

Revision Date: 1/11/2025

Version 1.5

1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9176

1.1 Product Name: Trichrome, Gomori One-Step, Aniline Blue Stain Kit

Part Number: 9176

CAS-No.: Not applicable

SDS Number: 6320

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 2

Corrosive to metals, Category 1

Acute toxicity (oral), Category 3

Acute toxicity (dermal), Category 3

Acute toxicity (inhalation), Category 4

Skin corrosion, Category 1B

Serious eye damage, Category 1

Skin sensitisation, Category 1

Respiratory sensitization, Category 1

Carcinogenicity, Category 1A

Specific Target Organ Toxicity – Single exposure, Category 1 Specific Target Organ Toxicity – Repeated exposure, Category 1

Germ cell mutagenicity, Category 2

2.2 GHS Label elements

Signal Word DANGER

Pictogram



Hazard Statement(s):

- · Highly flammable liquid and vapour
- · May be corrosive to metals
- · Toxic if swallowed
- · Toxic in contact with skin
- · Harmful if inhaled
- · Causes severe skin burns and eye damage
- · May cause an allergic skin reaction
- · Suspected of causing cancer
- · Causes damage to organs
- · Suspected of causing genetic defects

Precautionary Statement(s):

Prevention:

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- · Keep only in original container.



Revision Date: 1/11/2025

Part Number: 9176 Version 1.5

- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Ground/bond container and receiving equipment.
- · Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.
- · Take precautionary measures against static discharge.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- · In case of inadequate ventilation wear respiratory protection.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- · Use only outdoors or in a well-ventilated area.
- · Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves/protective clothing/eye protection/face protection.

Response:

- · In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · Absorb spillage to prevent material damage.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.
- · If skin irritation or a rash occurs: Get medical advice/attention.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing.
- · IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

Storage:

- · Store in a well ventilated place. Keep cool.
- · Store in a corrosive resistant container/container with a resistant inner liner.
- · Store locked up.

Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

See component SDS

4. FIRST-AID MEASURES

See component SDS

5. FIRE-FIGHTING MEASURES

See component SDS

6. ACCIDENTAL RELEASE MEASURES

See component SDS

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.



Revision Date: 1/11/2025

Version 1.5

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry,

well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

See component SDS

9. PHYSICAL AND CHEMICAL PROPERTIES

See component SDS

10. STABILITY AND REACTIVITY

Part Number: 9176

See component SDS

11. TOXICOLOGICAL INFORMATION

See component SDS

12. ECOLOGICAL INFORMATION

See component SDS

13. DISPOSAL CONSIDERATIONS

See component SDS

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number
Proper shipping name
Hazard class
Packing group
No data available

15. REGULATORY INFORMATION

See component SDS

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/5/2025

Version 1.7

1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9176

1.1 Product Name: Trichrome, Gomori One-Step, Aniline Blue Stain Kit, Sol'n A: Bouin Fluid

Part Number: 9176

CAS-No.: Not applicable

SDS Number: 2440

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799 **Fax:** 1-608-831-0866

Website: www.newcomersupply.com
info@newcomersupply.com

24 HOUR EMERGENCY CONTACT
CALL CHEMTREC: 1-800-424-9300
Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 4

Acute toxicity (oral), Category 3
Acute toxicity (dermal), Category 3

Acute toxicity (derinal), Category 3

Acute toxicity (inhalation), Category 4

Skin corrosion, Category 1B

Serious eye damage, Category 1

Skin sensitisation, Category 1

Respiratory sensitization, Category 1

Carcinogenicity, Category 1A

Specific Target Organ Toxicity – Single exposure, Category 1 Specific Target Organ Toxicity – Repeated exposure, Category 1

Germ cell mutagenicity, Category 2

2.2 GHS Label elements

Signal Word DANGER

Pictogram







Hazard Statement(s):

- · Combustible liquid
- · Toxic if swallowed
- · Toxic in contact with skin
- · Harmful if inhaled
- · Causes severe skin burns and eye damage
- · May cause an allergic skin reaction
- · May cause allergy or asthma symptoms or breathing difficulties if inhaled
- · May cause cancer
- · Causes damage to organs
- · Causes damage to organs through prolonged or repeated exposure
- · Suspected of causing genetic defects

Precautionary Statement(s):

Prevention:

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- · Avoid breathing dust/fume/gas/mist/vapors/spray.



Revision Date: 1/5/2025

Part Number: 9176 Version 1.7

- · In case of inadequate ventilation wear respiratory protection.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- \cdot Use only outdoors or in a well-ventilated area.
- · Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves/protective clothing/eye protection/face protection.

Response:

- · In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- · Wash contaminated clothing before reuse.
- · If skin irritation or a rash occurs: Get medical advice/attention.
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

Storage:

- · Store in a well ventilated place. Keep cool.
- · Keep container tightly closed.
- · Store locked up.

Disposal:

· Dispose of contents/ container to an approved waste disposal plant.

2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components

Component		Concentration
Name	Formaldehyde	•
CAS-No.	50-00-0	8-10%
Name	Methyl Alcohol	•
CAS-No.	67-56-1	Trace
Name	Picric Acid	
CAS-No.	88-89-1	<1%
Name	Glacial Acetic Acid	
CAS-No.	64-19-7	5%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.



Revision Date: 1/5/2025

Version 1.7

Eye Contact

Part Number: 9176

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture

No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating

Health Fire Reactivity hazard: 2 hazard: 1 hazard: 0

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Ensure proper ventilation. Contain spill. Prevent further leakage if possible and safe to do so. Evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Revision Date: 1/5/2025 Version 1.7

8.1 Control Parameters

Part Number: 9176

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Formaldehyde	50-00-0	OSHA PEL	TWA	0.75 ppm
		OSHA PEL	STEL	2 ppm
		ACGIH TLV	С	0.3 ppm (0.37 mg/m ³)
		NIOSH REL	TWA	0.016 ppm
		NIOSH REL	С	0.1 ppm 15-minute
		CANADA/QC	STEV	2 ppm 15 minutes (3 mg/m3 15 m
		CANADA/ON TWAEV	STEL	1 ppm 15 minutes
		CANADA/ON TWAEV CANADA/BC	C TWA	1 ppm 0.3 ppm 8 hours
		CANADA/BC	C	1 ppm
		CANADA/AB	OEL	0.75 ppm 8 hours
		CANADA/AB	С	1 ppm
Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (260 mg/m ³)
Wettyl Alcohol	07-30-1	ACGIH TLV		200 ppm (262 mg/m³)
	+		TWA	11 1
		ACGIH TLV	STEL	50 ppm (328 mg/m ³)
		NIOSH REL	TWA	200 ppm (260 mg/m³)
		NIOSH REL	STEL	250 ppm (325 mg/m ³)
		CANADA NTNL - OEL	TWA	200 ppm (262 mg/m ³) 8 hr
		CANADA NTNL - OEL	STEL	250 ppm (328 mg/m ³) 15 min
Component	CAS-No.	Regulatory	Value	Parameters
Glacial Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	STEL	15 ppm (37 mg/m ³)
		NIOSH REL	TWA	10 ppm (25 mg/m ³)
		NIOSH REL	STEL	15 ppm (37 mg/m ³)
		CANADA/QC	TWA	10 ppm (25 mg/m ³)
		CANADA/QC	STEL	15 ppm (37 mg/m ³)
		CANADA/ON TWAEV	TWA	10 ppm (25 mg/m ³)
		CANADA/ON TWAEV	STEL	15 ppm (37 mg/m³)
		CANADA/BC CANADA/BC	TWA STEL	10 ppm (25 mg/m³) 15 ppm (37 mg/m³)
		CANADA/AB	TWA	10 ppm (25 mg/m³)
		·		
		CANADA/AB	STEL	15 ppm (37 mg/m ³)
Component	CAS-No.	Regulatory	Value	Parameters
Picric Acid	88-89-1	OSHA PEL	TWA	0.1 mg/m ³ (skin)
		ACGIH TLV	TWA	0.1 mg/m³ (skin)
		NIOSH REL	TWA	0.1 mg/m³ (skin)
		NIOSH REL	STEL	0.3 mg/m ³ (skin)
		CANADA/QC	TWA	0.1 mg/m ³
		CANADA/ON	TWA	0.1 mg/m ³



Revision Date: 1/5/2025

Version 1.7

	CANADA/BC	TWA	0.1 mg/m ³
	CANADA/AB	TWA	0.1 mg/m ³

8.2 Exposure Controls

Part Number: 9176

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Formaldehyde: Where the potential exists for exposure over 0.016 ppm: use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 20 ppm is immediately dangerous to life and health. If the possibility of exposure above 20 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder. In case of emergency, entry into unknown concentrations, or escape, wear a self-contained positive-pressure breathing apparatus.

Other Information

None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Clear, yellow solution

Odor Scent of formaldehyde and acetic acid

Odor threshold No data available No data available Melting point/freezing point No data available Initial boiling point and boiling range No data available Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available No data available Vapor pressure



Revision Date: 1/5/2025

Version 1.7

Vapor density No data available Relative density No data available

Solubility(ies) Completely water soluble

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
No data available
No data available
No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

Part Number: 9176

No data available

10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

10.5 Incompatible materials

Formaldehyde reacts violently with nitrogen oxides; oxidizing agents (such as perchlorates, peroxides, permanganates, chlorates, nitrates, chlorine, bromine and fluorine); mixtures of perchloric acid and aniline; nitromethane; magnesium carbonate; and hydrogen peroxide. Formaldehyde reacts with phenol and hydrogen chloride to form toxic bis(chloromethyl) ether. Formaldehyde is not compatible with strong acids (such as hydrochloric, sulfuric and nitric); strong bases (such as sodium hydroxide and potassium hydroxide); iodine; iron; silver; isocyanates; amines; anhydrides; and liquid oxygen.

10.6 Hazardous decomposition products

No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation exposure

Inhalation of formaldehyde and acetic acid vapors can cause breathing difficulty and irritation of the lungs.

Oral exposure

Acute oral exposure to formaldehyde can result in serious systemic symptoms or death.

Dermal exposure

No data available

Skin corrosion/irritation

Formaldehyde and glacial acetic acid are corrosive and contact can severely irritate and burn the skin.

Serious eye damage/irritation

Formaldehyde: 10 to 20 ppm produces almost immediate eye irritation. Most subjects experience irritation of the eyes at 1 to 3 ppm; many subjects cannot tolerate prolonged exposures to 4 to 5 ppm. Glacial Acetic Acid: It has been reported that 50 ppm or more is intolerable to most persons due to intense lacrimation and irritation of the eyes, nose, and throat.

Respiratory or skin sensitization



Part Number: 9176

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025

Version 1.7

It has been estimated that exposure for 5 to 10 minutes to 50 to 100 ppm might cause serious injury to the lower respiratory passages. Formaldehyde may cause a skin allergy and an asthma-like allergy. Formaldehyde may cause an asthma-like allergy. Future exposure can cause asthma attacks with shortness of breath, wheezing, coughing, and/or chest tightness.

Germ Cell mutagenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Acute toxicity

Formaldehyde:

LD50 rat oral 100 mg/kg

LD50 rat dermal 270 mg/kg

LC50 rat inhalation 0.48 mg/l/4 hours

Picric Acid:

LD50 rat 200 mg/kg

Glacial Acetic Acid:

LD50 rat oral 3310 mg/kg

LD50 rabbit skin 1060uL/kg

LD50 mouse intravenous 525mg/kg

LC50 mouse inhalation 5620ppm/1H

Carcinogencity

IARC: Formaldehyde: Group 1, carcinogenic to humans

NTP: Formaldehyde: Known human carcinogen

OSHA: Formaldehyde: Specifically regulated carcinogen

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available



Revision Date: 1/5/2025

Version 1.7

13. DISPOSAL CONSIDERATIONS

Part Number: 9176

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number UN1760

Proper shipping name Corrosive liquids (Formaldehyde solution, Acetic Acid solution)



Hazard class 8
Packing group III

Environmental hazards No data available

15. REGULATORY INFORMATION

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status

Formaldehyde (50-00-0): LISTED Methyl Alcohol (67-56-1): LISTED

Picric Acid - Phenol, 2,4,6-trinitro- (88-89-1): LISTED

Acetic Acid (64-19-7): LISTED

Canada Environmental Emergency Regulations Schedule 1: Listed Substance

Formaldehyde (50-00-0): LISTED Acetic Acid (64-19-7): LISTED

Canada NPRI (Supplier Notification Required): Listed Substance

Formaldehyde (50-00-0): LISTED Methyl Alcohol (67-56-1): LISTED

Export Control List (CEPA, 1999, Schedule 3)

Not listed

Non-Regulatory Intsruments

Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers)

Not listed

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799



Part Number: 9176

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025

Version 1.7

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/5/2025

Version 1.7

1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9176

Trichrome, Gomori One-Step, Aniline Blue Stain Kit, Sol'n B: Ferric Chloride,

Acidified

Part Number: 9176

CAS-No.: Not applicable

SDS Number: 2860

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799

Fax: 1-608-831-0866
Website: www.newcomersupply.com

Email: info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300

Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Corrosive to metals, Category 1

Skin corrosion, Category 1B

Serious eye damage, Category 1

Specific Target Organ Toxicity - Respiratory System - Single exposure, Category 3

Acute toxicity (oral), Category 4

2.2 GHS Label elements

Signal Word DANGER

Pictogram



Hazard Statement(s):

- · May be corrosive to metals
- · Causes severe skin burns and eye damage
- May cause respiratory irritation
- · May cause drowsiness or dizziness
- · Harmful if swallowed

Precautionary Statement(s):

Prevention:

- · Keep only in original container/packaging.
- · Do not breathe dust/fume/gas/mist/vapors/spray.
- · Wash skin thoroughly after handling.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Use only outdoors or in a well-ventilated area.
- · Do not eat, drink or smoke when using this product.

Response:

- · Absorb spillage to prevent material damage.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- . IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- · Wash contaminated clothing before reuse.
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



Revision Date: 1/5/2025

Part Number: 9176 Version 1.7

- \cdot Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

Storage:

- · Store in a corrosive resistant container/container with a resistant inner liner.
- · Store in a well ventilated place. Keep container tightly closed.
- · Store locked up.

Disposal:

· Dispose of contents/ container to an approved waste disposal plant.

2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components

Componen	nt		Concentration
Name	Hydrochlor	ic Acid	
CAS-No.	7647-01-0		<1%
Name	Ferric Chlo	ride	
CAS-No.	7705-08-0		1-2%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician

Eve Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture

No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.



Revision Date: 1/5/2025

Version 1.7

NFPA Rating

Part Number: 9176

Health Fire Reactivity

hazard: 1 hazard: 0 hazard: 0

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Hydrochloric Acid	7647-01-0	OSHA PEL	С	5 ppm (7 mg/m ³)
		NIOSH REL	С	5 ppm (7 mg/m ³)
		NIOSH REL	IDLH	50 ppm (75 mg/m ³)
		ACGIH TLV	С	2 ppm
		CANADA/QC	С	2 ppm
		CANADA/ON TWAEV	С	2 ppm
		CANADA/BC	С	2 ppm
		CANADA/AB	С	2 ppm (3 mg/m ³)
Component	CAS-No.	Regulatory	Value	Parameters
Ferric Chloride	7705-08-0	NIOSH REL	TWA	1 mg/m ³
		ACGIH TLV	TWA	1 mg/m ³

Component	CAS-No.	Regulatory	Value	Parameters
Ferric Chloride	7705-08-0	NIOSH REL	TWA	1 mg/m ³
		ACGIH TLV	TWA	1 mg/m ³
		CANADA/QC OEL	TWA	1 mg/m ³
		CANADA/ON TWAEV	TWA	1 mg/m ³
		CANADA/BC	TWA	1 mg/m ³
		CANADA/AB	TWA	1 mg/m ³

8.2 Exposure Controls

Appropriate engineering controls



Part Number: 9176

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025

Version 1.7

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

Other Information

None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Colorless to pale yellow liquid Faint pungent odor Odor Odor threshold No data available No data available На Melting point/freezing point ca. 0°C (ca. 32°F) Initial boiling point and boiling range ca. 100°C (ca. 32°F) Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) Non flammable liquid Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density Similar to water Solubility(ies) Water soluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available Decomposition temperature No data available

10. STABILITY AND REACTIVITY

Viscosity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

No data available

10.3 Possibility of hazardous reactions



Revision Date: 1/5/2025

Version 1.7

Part Number: 9176

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong bases and metals

10.6 Hazardous decomposition products

No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation exposure

Hydrochloric acid: It has been reported that 50 to 100 ppm for 1 hour is barely tolerable and that 35 ppm causes irritation of the throat. Acute inhalation exposure may cause coughing, hoarseness, inflammation and ulceration of the respiratory tract, chest pain, and pulmonary edema in humans.

Oral exposure

Hydrochloric acid: Acute oral exposure may cause corrosion of the mucous membranes, esophagus, and stomach, with nausea, vomiting, and diarrhea reported in humans.

Dermal exposure

Hydrochloric acid: Dermal contact may produce severe burns, ulceration, and scarring.

Skin corrosion/irritation

Hydrochloric acid is corrosive to the eyes, skin, and mucous membranes. Ferric chloride can severely burn and irritate the skin.

Serious eve damage/irritation

Hydrochloric acid is corrosive to the eyes, skin, and mucous membranes. Ferric chloride can severely burn and irritate the skin.

Respiratory or skin sensitization

No data available

Germ Cell mutagenicity

No data available

Reproductive toxicity

In rats exposed to hydrochloric acid by inhalation, severe dyspnea, cyanosis, and altered estrus cycles have been reported in dams, and increased fetal mortality and decreased fetal weight have been reported in the offspring.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Hydrochloric acid: Chronic occupational exposure to hydrochloric acid has been reported to cause gastritis, chronic bronchitis, dermatitis, and photosensitization in workers. Prolonged exposure to low concentrations may also cause dental discoloration and erosion. Chronic inhalation exposure caused hyperplasia of the nasal mucosa, larynx, and trachea and lesions in the nasal cavity in rats.

Aspiration hazard

No data available

Acute toxicity



Revision Date: 1/5/2025

Version 1.7

Hydrochloric Acid:

Part Number: 9176

LCLo human 1300 ppm/30 minutes

LC50 rat 3124 ppm/1 hour LC50 mouse 1108 ppm/1 hour

Ferric Chloride: LD50 rat 316 mg/kg

Carcinogencity

IARC: Hydrochloric Acid: Group 3 Carcinogen - not classifiable as to its carcinogenicity to humans.

NTP: None of the components are listed OSHA: None of the components are listed

Additional information RTECS: No data available

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number UN1789

Proper shipping name Hydrochloric Acid Solution



Hazard class 8
Packing group II

Environmental hazards No data available

15. REGULATORY INFORMATION

15.1 Canadian Regulations



Revision Date: 1/5/2025

Version 1.7

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status

Hydrochloric Acid (7647-01-0): LISTED Iron Chloride (FeCl₃) (7705-08-0): LISTED

Canada Environmental Emergency Regulations Schedule 1: Listed Substance

Hydrochloric Acid (7647-01-0): LISTED

Canada NPRI (Supplier Notification Required): Listed Substance

Hydrochloric Acid (7647-01-0): LISTED

Export Control List (CEPA, 1999, Schedule 3)

Not listed

Part Number: 9176

Non-Regulatory Intsruments

Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers)

Not listed

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/5/2025

Version 1.7

1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9176

Trichrome, Gomori One-Step, Aniline Blue Stain Kit, Sol'n C: Hematoxylin 1%,

Alcoholic

Part Number: 9176

CAS-No.: Not applicable

SDS Number: 3130

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300

Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Flammable liquid, Category 2 Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4 Acute toxicity (inhalation), Category 4

Serious Eye Damage/Eye irritation, Category 2A

Skin irritation, Category 2

Specific Target Organ Toxicity - Single exposure, Category 2

2.2 GHS Label elements

Signal Word DANGER

Pictogram



Hazard Statement(s):

- · Highly flammable liquid and vapour
- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes eye irritation
- · Causes skin irritation
- · May cause damage to organs

Precautionary Statement(s):

Prevention:

- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- · Keep container tightly closed.
- · Ground and bond container and receiving equipment.
- · Use explosion-proof fume hood/electrical/ventilating/light/equipment.
- · Use only non-sparking tools.
- · Take precautionary measures against static discharge.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- · Do not eat, drink or smoke when using this product.
- · Use only outdoors or in a well-ventilated area.
- · Avoid breathing dust/fume/gas/mist/vapors/spray.

www.newcomersupply.com



Revision Date: 1/5/2025

Version 1.7

Response:

Part Number: 9176

- · In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.
- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- · Wash contaminated clothing before reuse.
- · If skin irritation occurs: Get medical advice/attention.
- IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- · If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · IF exposed or concerned: Get medical advice/attention.

Storage:

- · Store in a well ventilated place. Keep cool.
- · Store locked up.

Disposal:

- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous Components

Component		Concentration
Name	Ethyl Alcohol	
CAS-No.	64-17-5	84-85%
Name	Methyl Alcohol	
CAS-No.	67-56-1	4-5%
Name	Isopropyl Alcohol	
CAS-No.	67-63-0	4-5%
Name	Hematoxylin	
CAS-No.	517-28-2	1%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.



Revision Date: 1/5/2025

Part Number: 9176 Version 1.7

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture

No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating

Health Fire Reactivity
hazard: 2 hazard: 3 hazard: 0

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Ethyl Alcohol	64-17-5	OSHA PEL	TWA	1000 ppm (1900 mg/m³)
		ACGIH TLV	TWA	1000 ppm (1880 mg/m³)
		NIOSH REL	TWA	1000 ppm (1900 mg/m³)



Revision Date: 1/5/2025

Version 1.7

Part Number: 9176				Vers
		CANADA/ON TWAEV	STEL	1000 ppm (1880 mg/m³)
		CANADA/QC	STEL	1000 ppm (1880 mg/m³)
		CANADA/AB	TWA	1000 ppm (1880 mg/m ³)
		CANADA/BC	STEL	1000 ppm
Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (980 mg/m ³)
		ACGIH TLV	STEL	200 ppm (1,230 mg/m ³)
		ACGIH TLV	STEL	50 ppm (1,230 mg/m ³)
		NIOSH REL	TWA	200 ppm (980 mg/m ³)
		NIOSH REL	STEL	250 ppm (980 mg/m ³)
		CANADA NTNL - OEL	TWA	200 ppm (262 mg/m ³) 8 hr
		CANADA NTNL - OEL	STEL	250 ppm (328 mg/m ³) 15 min
Component	CAS-No.	Regulatory	Value	Parameters
Isopropyl Alcohol	67-63-0	OSHA PEL	TWA	400 ppm (980 mg/m ³)
		ACGIH TLV	TWA	400 ppm (983 mg/m ³)
		ACGIH TLV	STEL	500 ppm (1,230 mg/m ³)
		NIOSH REL	TWA	400 ppm (980 mg/m ³)
		NIOSH REL	STEL	500 ppm (980 mg/m ³)
		CANADA/ON TWAEV	TWA	200 ppm
		CANADA/ON TWAEV	STEL	400 ppm
		CANADA/QC	TWA	400 ppm (980 mg/m ³)
		CANADA/QC	STEL	500 ppm (1230 mg/m ³)
		CANADA/BC	TWA	200 ppm
		CANADA/BC	STEL	400 ppm
		1		2

8.2 Exposure Controls

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

TWA

STEL

200 ppm (492 mg/m³) 400 ppm (984 mg/m³)

CANADA/AB

CANADA/AB

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection



Part Number: 9176

SAFETY DATA SHEET (SDS)

Revision Date: 1/5/2025

Version 1.7

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Ethyl Alcohol: Where the potential exists for exposure over 1,000 ppm: use a NIOSH approved suppliedair respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 3,300 ppm is immediately dangerous to life and health. If the possibility of exposure above 3,300 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder.

In case of emergency, entry into or escape from unknown concentrations select the highest level approved respiratory protection available.

Other Information

None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state
Odor
Odor threshold
PH
No data available
Melting point/freezing point
No data available
Ca. -114°C (-173.2°F)
Ca. 78°C (172-176°F)

Flash point 13°C (55.4°F) Closed cup (Ethyl Alcohol)

Evaporation rate 1.7 (Ethyl Alcohol) Flammability (solid, gas) Liquid is flammable Upper flammability or explosive limits 19% (Ethyl Alcohol) Lower flammability or explosive limits 3.3% (Ethyl Alcohol) Vapor pressure No data available Vapor density No data available No data available Relative density Solubility(ies) Water soluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available No data available Decomposition temperature Viscosity No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

10.5 Incompatible materials



Revision Date: 1/5/2025

Part Number: 9176 Version 1.7

Strong oxidizers, potassium dioxide, bromine pentafluoride, acetyl bromide, acetyl chloride, platinum, sodium concentrated sulfuric acid, potassium and hydrogen peroxides, platinum black, calcium hypochlorite, silver oxide, ammonia, nitric acid, mercuric nitrate, silver nitrate, magnesium perchlorate, isocyanates, mineral acids, and chloroform.

10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation exposure

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath.

Oral exposure

Oral exposure to ethyl alcohol, methyl alcohol, and isopropyl alcohol can cause headache, drowsiness, nausea and vomiting, and unconsciousness. It can also affect concentration and vision.

Dermal exposure

Contact with ethyl alcohol can irritate the skin.

Skin corrosion/irritation

Prolonged or repeated exposure to ethyl alcohol can cause drying and cracking of the skin with peeling, redness and itching.

Serious eve damage/irritation

Contact with ethyl alcohol can irritate the eyes.

Respiratory or skin sensitization

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath.

Germ cell mutagenicity

No data available

Reproductive toxicity

Repeated oral exposure to ethyl alcohol may cause spontaneous abortions, as well as birth defects and other developmental problems. This condition is referred to as "fetal alcohol syndrome." There is limited evidence that oral exposure to ethyl alcohol may decrease fertility in males.

Specific target organ toxicity - single exposure

Exposure to ethyl alcohol may affect the liver and the nervous system.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Acute toxicity

Ethyl Alcohol:

LD50 rat oral 3450 mg/kg

LD50 mouse oral 7060 mg/kg

LC50 rat inhalation 20000 ppm/10H

LC50 mouse inhalation 20363 ppm/4H

Hematoxylin:

LD50 rat oral 400 mg/kg



Revision Date: 1/5/2025

Version 1.7

Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

Additional information RTECS: No data available

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Part Number: 9176

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number UN1170

Proper shipping name Ethanol solutions



Hazard class 3
Packing group II

Environmental hazards No data available

15. REGULATORY INFORMATION

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status



Revision Date: 1/5/2025

Version 1.7

Ethyl Alcohol (64-17-5): LISTED Methyl Alcohol (67-56-1): LISTED Isopropyl Alcohol (67-63-0): LISTED

Hematoxylin - Benz[b]indeno[1,2-d]pyran-3,4,6a,9,10(6H)-pentol, 7,11b-dihydro-, cis-(+)- (517-28-2):

LISTED

Part Number: 9176

Canada Environmental Emergency Regulations Schedule 1: Listed Substance

Not listed

Canada NPRI (Supplier Notification Required): Listed Substance

Ethyl Alcohol (64-17-5): LISTED Methyl Alcohol (67-56-1): LISTED Isopropyl Alcohol (67-63-0): LISTED

Export Control List (CEPA, 1999, Schedule 3)

Not listed

Non-Regulatory Intsruments

Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers)

Not listed

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/5/2025

Version 1.7

1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9176

Trichrome, Gomori One-Step, Aniline Blue Stain Kit, Sol'n D: Trichrome Stain,

Gomori One-Step, Aniline Blue

Part Number: 9176

CAS-No.: Not applicable

SDS Number: 4510

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799 **Fax:** 1-608-831-0866

Website:www.newcomersupply.comEmail:info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill,

leak, fire, exposure or other accident.

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

Skin corrosion, Category 1A Serious eye damage, Category 1

Specific Target Organ Toxicity - Single exposure, Category 3

2.2 GHS Label elements

Signal Word DANGER

Pictogram





Hazard Statement(s):

- · Causes severe skin burns and eye damage
- · May cause respiratory irritation
- · May cause drowsiness or dizziness

Precautionary Statement(s):

Prevention:

- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Do not breathe dust/fume/gas/mist/vapors/spray.
- · Wash skin thoroughly after handling.
- · Use only outdoors or in a well-ventilated area.

Response:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower].

· Wash contaminated clothing before reuse.

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

Storage:

- · Store locked up.
- · Store in a well ventilated place. Keep container tightly closed.



Revision Date: 1/5/2025

Version 1.7

Disposal:

Part Number: 9176

· Dispose of contents/ container to an approved waste disposal plant.

2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components

nazardous components				
Compone	nt	Concentration		
Name	Phosphotungstic acid			
CAS-No.	12501-23-4	<1%		
Name	Chromotrope 2R			
CAS-No.	4197-07-3	<1%		
Name	Aniline Blue			
CAS-No.	28631-66-5	<1%		
Name	Glacial Acetic Acid			
CAS-No.	64-19-7	<1%		

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

Eve Contact

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture

No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating



Revision Date: 1/5/2025

Version 1.7

Part Number: 9176

Health Fire Reactivity hazard: 1 hazard: 0 hazard: 0

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
				5 mg/m³ (as a tungsten soluble
Phosphotungstic Acid	12501-23-4	ACGIH	TWA	compound)
				0.10 mg/m³ (as a tungsten
		ACGIH	STEL	soluble compound)
		CANADA/ON	TWA	3 mg/m ³
		CANADA/QC	TWA	5 mg/m ³
		CANADA/QC	STEL	10 mg/m ³
		CANADA/AB	TWA	5 mg/m ³
		CANADA/AB	STEL	10 mg/m ³
		CANADA/BC	TWA	5 mg/m ³
		CANADA/BC	STEL	10 mg/m ³
Component	CAS-No.	Regulatory	Value	Parameters
Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	STEL	15 ppm (37 mg/m ³)
		NIOSH REL	TWA	10 ppm (25 mg/m ³)
		NIOSH REL	STEL	15 ppm (37 mg/m ³)
		CANADA/QC	TWA	10 ppm (25 mg/m ³)
		CANADA/QC	STEL	15 ppm (37 mg/m ³)
		CANADA/ON TWAEV	TWA	10 ppm (25 mg/m³)
		CANADA/ON TWAEV	STEL	15 ppm (37 mg/m ³)



Revision Date: 1/5/2025

Part Number: 9176 Version 1.7

	CANADA/BC	TWA	10 ppm (25 mg/m ³)
	CANADA/BC	STEL	15 ppm (37 mg/m ³)
	CANADA/AB	TWA	10 ppm (25 mg/m ³)
	CANADA/AB	STEL	15 ppm (37 mg/m ³)

8.2 Exposure Controls

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

No data available

Other Information

None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Opaque purple liquid Physical state Odor Pungent odor Odor threshold No data available No data available рН Melting point/freezing point ca. 0°C (ca. 32°F) Initial boiling point and boiling range ca. 100°C (ca. 32°F) Flash point No data available **Evaporation rate** No data available No data available Flammability (solid, gas) Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density Similar to water Solubility(ies) Water soluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability



Revision Date: 1/5/2025

Part Number: 9176 Version 1.7

Stable in a closed container within label-specified storage temperature and expiration date.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid contact with heat and flames.

10.5 Incompatible materials

Strong oxidizing agents and strong bases

10.6 Hazardous decomposition products

No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation exposure

Human data (Glacial Acetic Acid): Marked irritation of the nose, and upper respiratory tract which could not be tolerated for more than 3 minutes was noted at 816 to 1,226 ppm.

Oral exposure

No data available

Dermal exposure

No data available

Skin corrosion/irritation

Contact with glacial acetic acid can severely irritate and burn the skin.

Serious eye damage/irritation

Contact with glacial acetic acid can severely irritate and burn the eyes, leading to eye damage.

Respiratory or skin sensitization

It has been stated that repeated exposures to high concentrations to glacial acetic acid may produce respiratory tract irritation with pharyngeal edema and chronic bronchitis.

Germ Cell mutagenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhaling chromotrope 2R may cause respiratory irritation.

Aspiration hazard

No data available

Acute toxicity

Glacial Acetic Acid:

LD50 rat oral 3310 mg/kg

LD50 rabbit skin 1060uL/kg

LD50 mouse intravenous 525mg/kg

LC50 mouse inhalation 5620ppm/1H

Carcinogencity



Revision Date: 1/5/2025

Version 1.7

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

Additional information RTECS: No data available

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Part Number: 9176

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number UN1760

Proper shipping name Corrosive liquid, n.o.s.



Hazard class 8
Packing group II

Environmental hazards No data available

15. REGULATORY INFORMATION

15.1 Canadian Regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all information required by the HPR.

Canada DSL Inventory: Registration Status

Phosphotungstic Acid - Tungstate(3-), tetracosa-μ-oxododecaoxo[μ12-[phosphato(3-)-O:O:O':O':O':O'':O'':O''']]dodeca-, trihydrogen (1343-93-7): LISTED

Benzenesulfonic acid, aminomethyl[[4-[(sulfophenyl)amino]phenyl][4-[(sulfophenyl)imino]-2,5-

cyclohexadien-1-ylidene]methyl]-, disodium salt (28631-66-5): LISTED

Acetic Acid (64-19-7): LISTED



Revision Date: 1/5/2025

Version 1.7

Canada Environmental Emergency Regulations Schedule 1: Listed Substance

Acetic Acid (64-19-7): LISTED

Canada NPRI (Supplier Notification Required): Listed Substance

Not listed

Part Number: 9176

Export Control List (CEPA, 1999, Schedule 3)

Not listed

Non-Regulatory Instruments

Not listed

Schedule 8 of the New Substances Notification Regulations (Chemicals and Polymers)

Not listed

16. OTHER INFORMATION

Preparation Information Newcomer Supply Inc. 800-383-7799

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.



Revision Date: 1/25/2025

Version 1.5

1. PRODUCT AND COMPANY IDENTIFICATION

Part Number: 9176

1.1 Product Name: Trichrome, Gomori One-Step, Aniline Blue Stain Kit, Sol'n E: Acetic Acid 0.5%, Aqueous

Part Number: 9176

CAS-No.: Not applicable

SDS Number: 2000

1.2 Recommended Use: Laboratory Chemicals

1.3 Company: NEWCOMER SUPPLY

1020 PRAIRIE VIEW CT WAUNAKEE WI 53597-8512

Telephone: 1-800-383-7799 **Fax:** 1-608-831-0866

Website: www.newcomersupply.com
info@newcomersupply.com

24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200)

None

2.2 GHS Label elements

Signal Word NONE

Pictogram

Hazard Statement(s):

· None

Precautionary Statement(s):

· None

2.3 Description of any hazards not otherwise classified None

2.4 >1% of mixture with unknown acute toxicity None

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Components

Component		Concentration
Name	Acetic Acid, Glacial, ACS	
CAS-No.	64-19-7	0.5%

4. FIRST-AID MEASURES

4.1 Description of necessary measures

Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.



Revision Date: 1/25/2025

Version 1.5

Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel

4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES

Part Number: 9176

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

5.2 Specific hazards arising from the substance or mixture

No data available

5.3 Protective equipment and precautions for fire-fighters

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating

Health Fire Reactivity
hazard: 1 hazard: 0 hazard: 0

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use.

6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	TWA	10 ppm (25 mg/m ³)
		ACGIH TLV	STEL	15 ppm (37 mg/m ³)
		NIOSH REL	TWA	10 ppm (25 mg/m ³)
		NIOSH REL	STEL	15 ppm (37 mg/m ³)

8.2 Exposure Controls



Part Number: 9176

SAFETY DATA SHEET (SDS)

Revision Date: 1/25/2025

Version 1.5

Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises.

8.3 Personal Protective Equipment

Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

Skin Protection

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

Body Protection

No data available

Respiratory Protection

No data available

Other Information

None

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Colorless liquid Mild vinegar odor Odor Odor threshold No data available 2.8 at 19°C (66°F) рН Melting point/freezing point ca. 0°C (ca. 32°F) Initial boiling point and boiling range ca. 100°C (ca. 32°F) Flash point No data available **Evaporation rate** Evap. rate of water = 1; 1

Flammability (solid, gas)

Upper flammability or explosive limits

Lower flammability or explosive limits

Vapor pressure

Vapor density

Relative density

No data available

No data available

No data available

For water in air = 1; 1

Similar to water

Solubility(ies) Infinitely soluble with water

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity

No data available
No data available
1.222 (mPa)(s) at 20°C

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available



Revision Date: 1/25/2025

Version 1.5

10.5 Incompatible materials

Part Number: 9176

Strong oxidizing agents (especially chromic acid, sodium peroxide and nitric acid), strong reducing

agents, metals, strong acids, and strong bases.

10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Inhalation exposure

No data available

Oral exposure

No data available

Dermal exposure

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Acute toxicity

No data available

Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

Additional information

RTECS: No data available

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No data available

12.2 Persistence and degradability

No data available



Revision Date: 1/25/2025

Version 1.5

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

Part Number: 9176

No data available

12.5 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

14.1 DOT (US)

UN-Number No data available
Proper shipping name No data available
Hazard class No data available
Packing group No data available
Environmental hazards No data available

15. REGULATORY INFORMATION

15.1 No data available

16. OTHER INFORMATION

Preparation Information

Newcomer Supply Inc.

www.newcomersupply.com

Copyright © Newcomer Supply Inc. All rights reserved.