

# SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	<b>Trichrome, McLetchie, Aniline Blue Stain Kit</b> 9177 Not applicable 6330		
1.2	Recommended Use:	Laboratory Chemicals		
1.3	Company:	Newcomer Supply 2505 Parview Road Middleton, WI 53562 USA	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300	
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of	
	Fax:	1-608-831-0866	an emergency involving a chemical spill,	
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.	
	Email:	newly@newcomersupply.com		

### 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture

**GHS Classification**, (in accordance with 29 CFR1910.1200) Flammable liquid, Category 2 Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4 Acute toxicity (inhalation), Category 4 Serious eye damage, Category 1 Skin corrosion, Category 1 Specific Target Organ Toxicity – Single exposure, Category 2 Specific Target Organ Toxicity – Repeated exposure, Category 1

### 2.2 GHS Label elements

**Signal Word** 

DANGER

### Pictogram



- Hazard Statement(s): • Highly flammable liquid and vapour
- Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes severe skin burns and eye damage
- · May cause damage to organs
- Causes damage to organs through prolonged or repeated exposure **Precautionary Statement(s)**:

### Prevention:

- · Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- · Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.
- · Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- $\cdot$  Do not eat, drink or smoke when using this product.
- · Use only outdoors or in a well-ventilated area.
- Do not breathe dust/fume/gas/mist/vapours/spray.

### **Response:**



### Part Number: 9177

Revision Date: 10/16/2017

Version 1.4

 $\cdot$  In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. · Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. • IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. · Specific treatment: see first aid measures in section 4. • Immediately call a POISON CENTER or doctor/physician. Storage: • Store in a well ventilated place. Keep container tightly closed. · Store locked up. **Disposal:** • Dispose of contents/ container to an approved waste disposal plant. 2.3 Description of any hazards not otherwise classified None 2.4 >1% of mixture with unknown acute toxicity None 3. COMPOSITION/INFORMATION ON INGREDIENTS See component SDS 5. FIRE-FIGHTING MEASURES

See component SDS

6. ACCIDENTAL RELEASE MEASURES

See component SDS

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray.Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

See component SDS

### 9. PHYSICAL AND CHEMICAL PROPERTIES

See component SDS

### 10. STABILITY AND REACTIVITY

See component SDS

### **11. TOXICOLOGICAL INFORMATION**

See component SDS

# **ΝΕΨζΟΜΕΙ<sup>χ</sup>υρρΓ**Α.

Part Number: 9177

14.1

12. ECOLOGICAL INFORMATION

See component SDS

### **13. DISPOSAL CONSIDERATIONS**

See component SDS

### **14. TRANSPORT INFORMATION**

DOT (US)	
UN-Number	1170
Proper shipping name	Ethanol
Hazard class	3
Packing group	II
Environmental hazards	No data available

### **15. REGULATORY INFORMATION**

See component SDS

### **16. OTHER INFORMATION**

Preparation Information Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © Newcomer Supply Inc. All rights reserved.

# SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4



# **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name: Part Number: CAS-No.: SDS Number:	<b>Trichrome, McLetchie, Aniline Blue Stain Kit, Sol'n A: Biebrich Scarlet-Acid Fuchsin Stain, Elastic-Trichrome, Aqueous</b> 9177 Not applicable 2420		
1.2	Recommended Use:	Laboratory Chemicals		
1.3	Company: Telephone: Fax: Website: Email:	Newcomer Supply 2505 Parview Road Middleton, WI 53562 USA 1-800-383-7799 1-608-831-0866 <u>www.newcomersupply.com</u> <u>newly@newcomersupply.com</u>	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300 Contact CHEMTREC only in the event of an emergency involving a chemical spill, leak, fire, exposure or other accident.	

### 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture GHS Classification, (in accordance with 29 CFR1910.1200) Skin irritation, Category 2 Serious Eye Damage/Eye irritation, Category 2

2.2 GHS Label elements Signal Word WARNING

Pictogram



- Hazard Statement(s):
- $\cdot$  Causes serious eye irritation
- Causes skin irritation

# Precautionary Statement(s):

- Prevention:
- $\cdot$  Wear protective gloves/protective clothing/eye protection/face protection.
- $\cdot$  Wash skin thoroughly after handling.

### **Response:**

- · IF ON SKIN: Gently wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- · If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

- to do continue rinsing.
- If eye irritation persists get medical advice/attention.
- Specific treatment: see first aid measures in section 4.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None
- 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixture

Hazardous	Components
-----------	------------

Component		Concentration
Name Acetic Acid Glacial		
CAS-No.	64-19-7	1%



# SAFETY DATA SHEET (SDS)

## Revision Date: 10/16/2017

Version 1.4

### 4.1 Description of necessary measures

### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

### **Skin Contact**

IF ON SKIN: Gently wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

### Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

- **4.2** Most important symptoms and or effects, acute and delayed The most important symptoms/effects are presented in Section 2 and or Section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### 5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.

- 5.2 Specific hazards arising from the substance or mixture No data available
- **5.3 Protective equipment and precautions for fire-fighters** Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

### **NFPA Rating**

Health		Fire		Reactivity	
hazard:	0	hazard:	0	hazard:	0

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use.

### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities



Part Number: 9177

Revision Date: 10/16/2017

Version 1.4

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Glacial Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	15 ppm (37 mg/m <sup>3</sup> )
		NIOSH REL	TWA	10 ppm (25 mg/m <sup>3</sup> )
		NIOSH REL	STEL	15 ppm (37 mg/m <sup>3</sup> )

### 8.2 Exposure Controls

### Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Take measures to keep concentrations below acceptable limits.

### 8.3 Personal Protective Equipment

### Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

### **Body Protection**

No data available

### **Respiratory Protection**

Respirators should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Where the potential exists for exposure over 10 ppm: use a NIOSH approved full facepiece respirator with an organic vapor cartridge. Increased protection is obtained from full facepiece powered-air purifying respirators. If while wearing a filter or cartridge respirator you can smell, taste, or otherwise detect acetic acid, or if while wearing particulate filters abnormal resistance to breathing is experienced, or eye irritation occurs while wearing a full facepiece respirator, leave the area immediately. Check to make sure the respirator-to-face seal is still good. It if is, replace the filter or cartridge. If the seal is no longer good, you may need a new respirator.

Where the potential exists for exposure over 100 ppm, use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.

In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

Other Information None

9. PHYSICAL AND CHEMICAL PROPERTIES



Revision Date: 10/16/2017

Version 1.4

Part Number: 9177

### 9.1 Information on basic physical and chemical properties

internation on Subie physical and enemical	
Physical state	Opaque reddish-pink liquid; no precipitate
Odor	Mild vinegar odor
Odor threshold	No data available
рН	No data available
Melting point/freezing point	ca. 0°C (ca. 32°F)
Initial boiling point and boiling range	ca. 100°C (ca. 32°F)
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	Similar to water
Solubility(ies)	Water soluble
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

### **10. STABILITY AND REACTIVITY**

**10.1 Reactivity** No data available

### **10.2** Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

**10.3 Possibility of hazardous reactions** No data available

10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong oxidizing agents (especially chromic acid, sodium peroxide and nitric acid), strong reducing agents, metals, strong acids, and strong bases.

### 10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### Inhalation exposure

Human data (Glacial Acetic Acid): Marked irritation of the nose, and upper respiratory tract which could not be tolerated for more than 3 minutes was noted at 816 to 1,226 ppm.

### Oral exposure

No data available

## Dermal exposure

No data available

### Skin corrosion/irritation

Contact with glacial acetic acid can severely irritate and burn the skin.

### Serious eye damage/irritation

# 

### Part Number: 9177

# **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

Contact with glacial acetic acid can severely irritate and burn the eyes, leading to eye damage.

### **Respiratory or skin sensitization**

It has been stated that repeated exposures to high concentrations of glacial acetic acid may produce respiratory tract irritation with pharyngeal edema and chronic bronchitis.

Germ cell mutagenicity No data available

**Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

### **Aspiration hazard**

No data available

### Acute toxicity

Glacial Acetic Acid: LD50 rat oral 3310 mg/kg LD50 rabbit skin 1060uL/kg LD50 mouse intravenous 525mg/kg LC50 mouse inhalation 5620ppm/1H

### Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

### **Additional information**

RTECS: No data available

### 12. ECOLOGICAL INFORMATION

- **12.1 Ecotoxicity** No data available
- **12.2** Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4** Mobility in soil No data available
- **12.5** Other adverse effects No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste disposal methods

Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### **Contaminated packaging**



### Part Number: 9177

14.1

Revision Date: 10/16/2017

Version 1.4

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### 14. TRANSPORT INFORMATION

DOT (US)
UN-Number
Proper shipping name
Hazard class
Packing group
Environmental hazards

No data available No data available No data available No data available No data available

### **15. REGULATORY INFORMATION**

15.1 No data available

### **16. OTHER INFORMATION**

Preparation Information Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © Newcomer Supply Inc. All rights reserved.

# ͶϴϺϚϘϢϴϫ

Part Number: 9177

# **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name:	Trichrome, McLetchie, Aniline Blu Aqueous	e Stain Kit, Sol'n B: Iodine, Weigert & Lugol,
	Part Number:	9177	
	CAS-No.:	Not applicable	
	SDS Number:	3350	
1.2	Recommended Use:	Laboratory Chemicals	
1.3	Company:	Newcomer Supply	
		2505 Parview Road	24 HOUR EMERGENCY CONTACT
		Middleton, WI 53562 USA	CALL CHEMTREC: 1-800-424-9300
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of
	Fax:	1-608-831-0866	an emergency involving a chemical spill,
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.
	Email:	newly@newcomersupply.com	

### 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture GHS Classification, (in accordance with 29 CFR1910.1200) Skin irritation, Category 2 Serious Eye Damage/Eye irritation, Category 2 Acute toxicity (oral), Category 4 Acute toxicity (inhalation), Category 4 Acute toxicity (dermal), Category 4 Specific Target Organ Toxicity – Single exposure, Category 3 Specific Target Organ Toxicity – Repeated exposure, Category 1

### 2.2 GHS Label elements Signal Word

DANGER

Pictogram



### Hazard Statement(s):

- · Causes skin irritation
- · Causes serious eye irritation
- · Harmful if swallowed
- · Harmful if inhaled
- · Harmful in contact with skin
- May cause respiratory irritation
- · May cause drowsiness or dizziness
- Causes damage to organs through prolonged or repeated exposure Precautionary Statement(s): Prevention:
- Prevention:
- $\cdot$  Wear protective gloves/protective clothing/eye protection/face protection.
- $\cdot$  Wash skin thoroughly after handling.
- $\cdot$  Do not eat, drink or smoke when using this product.
- · Do not breathe dust/fume/gas/mist/vapours/spray.
- $\cdot$  Use only outdoors or in a well-ventilated area.

### **Response:**

- · IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · IF ON SKIN: Gently wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- · If skin irritation occurs: Get medical advice/attention.

# ͶϴϢϲϘϺϴΓʹͽϓϷϷͰϒ

SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

Part Number: 9177

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

- to do continue rinsing.
- If eye irritation persists get medical advice/attention.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- · Rinse mouth.
- · Specific treatment: see first aid measures in section 4.
- · Call a POISON CENTER or doctor/physician if you feel unwell.
- Storage:
- $\cdot$  Store locked up.
- · Store in a well ventilated place. Keep container tightly closed. **Disposal:**
- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixture

### **Hazardous Components**

Component		Concentration
Name	lodine	
CAS-No. 7553-56-2		1%
Name	Potassium Iodide	
CAS-No. 7681-11-0		2%

### 4. FIRST-AID MEASURES

### 4.1 Description of necessary measures

### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

### **Skin Contact**

IF ON SKIN: Gently wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If eye irritation persists get medical advice/attention.

### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

### Ingestion (swallowed)

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

- **4.2** Most important symptoms and or effects, acute and delayed The most important symptoms/effects are presented in Section 2 and or Section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### 5. FIRE-FIGHTING MEASURES

- **5.1** Suitable extinguishing media Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.
- 5.2 Specific hazards arising from the substance or mixture No data available
- 5.3 Protective equipment and precautions for fire-fighters



**SAFETY DATA SHEET (SDS)** 

Revision Date: 10/16/2017

Version 1.4

Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rat	ing			
Health		Fire		Reactivity
hazard:	2	hazard:	0	hazard: 0

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area.

### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

### 7. HANDLING AND STORAGE

### **7.1 Precautions for safe handling** Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

**7.2** Conditions for safe storage, including any incompatibilities Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Iodine	7553-56-2	NIOSH REL	С	0.1 ppm (1 mg/m <sup>3</sup> )
		OSHA PEL	С	0.1 ppm (1 mg/m <sup>3</sup> )
		ACGIH TLV	С	0.1 ppm (1 mg/m <sup>3</sup> )

### 8.2 Exposure Controls

### Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Take measures to keep concentrations below acceptable limits.

### 8.3 Personal Protective Equipment

### **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

## Body Protection

No data available



Revision Date: 10/16/2017

Version 1.4

Part Number: 9177

### **Respiratory Protection**

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

lodine: Where the potential exists for exposure over 0.01 ppm: (as the inhalable fraction and vapor), use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 2 ppm is immediately dangerous to life and health. If the possibility of exposure above 2 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder. In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

Other Information None

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Translucent, brown liquid; no precipitate
Odor	Odorless
Odor threshold	No data available
рН	No data available
Melting point/freezing point	ca. 0°C (ca. 32°F)
Initial boiling point and boiling range	ca. 100°C (ca. 32°F)
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	Similar to water
Solubility(ies)	Water soluble
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

### **10. STABILITY AND REACTIVITY**

10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

- **10.3** Possibility of hazardous reactions No data available
- **10.4** Conditions to avoid No data available
- 10.5 Incompatible materials



Part Number: 9177

Revision Date: 10/16/2017 Version 1.4

lodine reacts violently or explosively with acetylene; acetaldehyde; metal azides; metal hydrides; and metal carbides. Iodine forms explosive or shock-sensitive compounds when mixed with reducing agents (such as lithium, sodium, aluminum and their hydrides) and liquid ammonia. Iodine will ignite powdered metals (such as antimony, magnesium and zinc) in the presence of water. Iodine is not compatible with combustibles; strong bases (such as sodium hydroxide and potassium hydroxide); halogens (such as chlorine, bromine and chlorine trifluoride); and ethanol.

### 10.6 Hazardous decomposition products

Hydrogen iodide gas, iodine gas, and potassium oxides. May also produce irritating and toxic fumes when heated.

### **11. TOXICOLOGICAL INFORMATION**

# **11.1** Information on toxicological effects Inhalation exposure

Inhaling iodine can irritate the lungs causing coughing and/or shortness of breath.

**Oral exposure** No data available

**Dermal exposure** No data available

### Skin corrosion/irritation

Contact with iodine and potassium iodide can severely irritate the skin.

### Serious eye damage/irritation

Contact with iodine and potassium iodide can severely irritate the eyes.

### Respiratory or skin sensitization

No data available

**Germ cell mutagenicity** No data available

## Reproductive toxicity

No data available

**Specific target organ toxicity - single exposure** Inhaling iodine can irritate the lungs causing coughing and/or shortness of breath.

### Specific target organ toxicity - repeated exposure

Iodine may cause thyroid gland disturbances. Medical examination advised after repeated exposure.

### Aspiration hazard No data available

Acute toxicity Iodine: LD50 rat oral 14000 mg/kg LD50 rabbit dermal 2000 mg/kg LC50 rat inhalation 4.588 mg/l/4 hours Potassium Iodide: LD50 mouse oral 1000 mg/kg

### Carcinogencity

www.newcomersupply.com



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017 Version 1.4

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

### **Additional information**

RTECS: No data available

### 12. ECOLOGICAL INFORMATION

- **12.1 Ecotoxicity** No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5** Other adverse effects No data available

### **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste disposal methods

### Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### **14. TRANSPORT INFORMATION**

14.1 DOT (US)

UN-Number	No data available
Proper shipping name	No data available
Hazard class	No data available
Packing group	No data available
<b>Environmental hazards</b>	No data available

### **15. REGULATORY INFORMATION**

### 15.1 No data available

### **16. OTHER INFORMATION**

Preparation Information Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © NewcomercSupply Inc. All rights reserved.



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name:	Trichrome, McLetchie, Aniline Blu Alcoholic	e Stain Kit, Sol'n C: Phosphotungstic Acid 2%,
	Part Number:	9177	
	CAS-No.:	Not applicable	
	SDS Number:	3940	
1.2	Recommended Use:	Laboratory Chemicals	
1.3	Company:	Newcomer Supply 2505 Parview Road Middleton, WI 53562 USA	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of
	Fax:	1-608-831-0866	an emergency involving a chemical spill,
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.
	Email:	newly@newcomersupply.com	

### 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture

GHS Classification, (in accordance with 29 CFR1910.1200) Flammable liquid. Category 2 Acute toxicity (oral), Category 4 Acute toxicity (dermal), Category 4 Acute toxicity (inhalation), Category 4 Serious eye damage, Category 1 Skin corrosion, Category 1 Specific Target Organ Toxicity – Single exposure, Category 2

#### 2.2 GHS Label elements DANGER **Signal Word**



### Pictogram

· Highly flammable liquid and vapour

- · Harmful if swallowed
- · Harmful in contact with skin
- · Harmful if inhaled
- · Causes severe skin burns and eye damage
- May cause damage to organs
- **Precautionary Statement(s):**

### **Prevention:**

- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- Use explosion-proof fume hood/electrical/ventilating/light equipment.
- · Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- · Use only outdoors or in a well-ventilated area.
- · Do not breathe dust/fume/gas/mist/vapours/spray. **Response:**



### Part Number: 9177

Revision Date: 10/16/2017

Version 1.4

 $\cdot$  In case of fire use carbon dioxide, dry chemical or alcohol-resistant foam.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

 $\cdot$  Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

- to do continue rinsing.
- · IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- · IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- $\cdot$  Specific treatment: see first aid measures in section 4.
- · Immediately call a POISON CENTER or doctor/physician.

Storage:

- $\cdot$  Store in a well ventilated place. Keep cool.
- $\cdot$  Store locked up.
- Disposal:
- · Dispose of contents/ container to an approved waste disposal plant.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

### **Hazardous Components**

Compone	nt	Concentration	
Name	Ethyl Alcohol		
CAS-No.	64-17-5	60-70%	
Name	Methyl Alcohol	·	
CAS-No.	67-56-1	2-4%	
Name	Isopropyl Alcohol		
CAS-No.	67-63-0	2-4%	
Name	Phosphotunstic Acid	•	
CAS-No.	12501-23-4	2%	

### 4.1 Description of necessary measures

### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

### **Skin Contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### 4.2 Most important symptoms and or effects, acute and delayed

The most important symptoms/effects are presented in Section 2 and or Section 11.



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

### 5. FIRE-FIGHTING MEASURES

- **5.1** Suitable extinguishing media Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.
- 5.2 Specific hazards arising from the substance or mixture No data available
- **5.3** Protective equipment and precautions for fire-fighters Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rat	ing			
Health		Fire		Reactivity
hazard:	2	hazard:	3	hazard: 0

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use. In case of large spill, remove personnel to a safe area. Keep product away from heat, flame, ignition sources, and reactive materials. Avoid accumulation of vapor to form explosive concentration. Pay particular attention to low areas where vapor accumulates more easily.

### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations. Eliminate sources of ignition.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust/fume/gas/mist/vapours/spray.Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

		•	0	•
Component	CAS-No.	Regulatory	Value	Parameters
Ethyl Alcohol	64-17-5	OSHA PEL	TWA	1000 ppm (1900 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	1000 ppm (1880 mg/m <sup>3</sup> )
		NIOSH REL	TWA	1000 ppm (1900 mg/m <sup>3</sup> )
Component	CAS-No.	Regulatory	Value	Parameters
Methyl Alcohol	67-56-1	OSHA PEL	TWA	200 ppm (980 mg/m <sup>3</sup> )
www.newcomersu	nnly com			



Revision Date: 10/16/2017

Part Number: 9177

Version 1.4

		ACGIH TLV	STEL	200 ppm (1,230 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	50 ppm (1,230 mg/m <sup>3</sup> )
		NIOSH REL	TWA	200 ppm (980 mg/m <sup>3</sup> )
		NIOSH REL	STEL	250 ppm (980 mg/m <sup>3</sup> )
Component	CAS-No.	Regulatory	Value	Parameters
Isopropyl Alcohol	67-63-0	OSHA PEL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	400 ppm (983 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	500 ppm (1,230 mg/m <sup>3</sup> )
		NIOSH REL	TWA	400 ppm (980 mg/m <sup>3</sup> )
		NIOSH REL	STEL	500 ppm (980 mg/m <sup>3</sup> )
Component	CAS-No.	Regulatory	Value	Parameters
				5 mg/m <sup>3</sup> (as a tungsten soluble
Phosphotungstic Acid	12501-23-4	ACGIH	TWA	compound)
				0.10 mg/m <sup>3</sup> (as a tungsten
		ACGIH	STEL	soluble compound)

### 8.2 Exposure Controls

### Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Use product in an appropriately designated fume hood. Take measures to keep concentrations below acceptable limits.

# 8.3 Personal Protective Equipment

### **Eye/Face protection**

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

### **Body Protection**

No data available

### **Respiratory Protection**

Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Ethyl Alcohol: Where the potential exists for exposure over 1,000 ppm: use a NIOSH approved suppliedair respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus or an emergency escape air cylinder.

Exposure to 3,300 ppm is immediately dangerous to life and health. If the possibility of exposure above 3,300 ppm exists, use a NIOSH approved self-contained breathing apparatus with a full facepiece operated in a pressure-demand or other positive-pressure mode equipped with an emergency escape air cylinder.

In case of emergency, entry into or escape from unknown concentrations select the highest level approved respiratory protection available.



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017 Version 1.4

Other Information

### None

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Clear, colorless solution
Odor	Alcoholic odor
Odor threshold	No data available
рН	No data available
Melting point/freezing point	-114°C (-173.2°F)
Initial boiling point and boiling range	78-80°C (172-176°F)
Flash point	13°C (55.4°F) Closed cup
Evaporation rate	1.7 (Ethyl Alcohol)
Flammability (solid, gas)	Liquid is flammable
Upper flammability or explosive limits	19%
Lower flammability or explosive limits	3%
Vapor pressure	No data available
Vapor density	1.6 (Ethyl Alcohol)
Relative density	0.789
Solubility(ies)	Miscible with water and many organic liquids
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
•	

### **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

**10.3 Possibility of hazardous reactions** No data available

### 10.4 Conditions to avoid

Heat, sparks, open flame, and ignition sources.

### 10.5 Incompatible materials

Ethyl alcohol: Strong oxidizers, potassium dioxide, bromine pentafluoride, acetyl bromide, acetyl chloride, platinum, sodium concentrated sulfuric acid, potassium and hydrogen peroxides, platinum black, calcium hypochlorite, silver oxide, ammonia, nitric acid, mercuric nitrate, silver nitrate, magnesium perchlorate, isocyanates, mineral acids, and chloroform.

### 10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### Inhalation exposure

Inhaling ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the nose, throat and lungs causing coughing and/or shortness of breath.

### **Oral exposure**



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

Oral exposure to ethyl alcohol, methyl alcohol, and isopropyl alcohol can cause headache, drowsiness, nausea and vomiting, and unconsciousness. It can also affect concentration and vision.

### **Dermal exposure**

Contact with ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the skin.

### Skin corrosion/irritation

Prolonged or repeated exposure to ethyl alcohol can cause drying and cracking of the skin with peeling, redness and itching.

### Serious eye damage/irritation

Contact with ethyl alcohol, methyl alcohol, and isopropyl alcohol can irritate the eyes.

# Respiratory or skin sensitization

No data available

**Germ cell mutagenicity** No data available

### **Reproductive toxicity**

Repeated oral exposure to ethyl alcohol may cause spontaneous abortions, as well as birth defects and other developmental problems. This condition is referred to as "fetal alcohol syndrome." There is limited evidence that oral exposure to ethyl alcohol may decrease fertility in males.

### Specific target organ toxicity - single exposure

Exposure to ethyl alcohol may affect the liver and the nervous system.

### Specific target organ toxicity - repeated exposure No data available

# Aspiration hazard

No data available

### Acute toxicity

Ethyl Alcohol: LD50 rat oral 3450 mg/kg LD50 mouse oral 7060 mg/kg LC50 rat inhalation 20000 ppm/10H LC50 mouse inhalation 20363 ppm/4H Phosphotungstic Acid: LD50 rat oral 3300 mg/kg

### Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

### Additional information

RTECS: No data available

### 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No data available

12.2 Persistence and degradability



No data available

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available
- **12.5** Other adverse effects No data available

### **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste disposal methods

### Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### **Contaminated packaging**

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### **14. TRANSPORT INFORMATION**

### 14.1 DOT (US)

_	= = : (==)	
	UN-Number	1170
	Proper shipping name	Ethanol
	Hazard class	3
	Packing group	II
	Environmental hazards	No data available

### **15. REGULATORY INFORMATION**

### **15.1** No data available

### **16. OTHER INFORMATION**

Preparation Information Newcomer Supply Inc. 800-383-7799 www.newcomersupply.com Copyright © Newcomer Supply Inc. All rights reserved. SAFETY DATA SHEET (SDS) Revision Date: 10/16/2017 Version 1.4

# ͶϴϢϲϘϺϴΓʹͽʹͲϷϷͰϒ·

Part Number: 9177

# **SAFETY DATA SHEET (SDS)**

Revision Date: 10/16/2017

Version 1.4

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Name:	Trichrome, McLetchie, Aniline Blu Aqueous	ue Stain Kit, Sol'n D: Aniline Blue Stain,
	Part Number:	9177	
	CAS-No.:	Not applicable	
	SDS Number:	2340	
1.2	Recommended Use:	Laboratory Chemicals	
1.3	Company:	Newcomer Supply 2505 Parview Road Middleton, WI 53562 USA	24 HOUR EMERGENCY CONTACT CALL CHEMTREC: 1-800-424-9300
	Telephone:	1-800-383-7799	Contact CHEMTREC only in the event of
	Fax:	1-608-831-0866	an emergency involving a chemical spill,
	Website:	www.newcomersupply.com	leak, fire, exposure or other accident.
	Email:	newly@newcomersupply.com	

### 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture GHS Classification, (in accordance with 29 CFR1910.1200) Skin irritation, Category 2 Serious Eye Damage/Eye irritation, Category 2

2.2 GHS Label elements Signal Word WARNING

Pictogram



### Hazard Statement(s):

- · Causes serious eye irritation
- · Causes skin irritation

### Precautionary Statement(s): Prevention:

- Wear protective gloves/protective clothing/eye protection/face protection.
- · Wash skin thoroughly after handling.

### **Response:**

- · IF ON SKIN: Gently wash with plenty of soap and water.
- Take off contaminated clothing and wash before reuse.
- · If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy

- to do continue rinsing.
- If eye irritation persists get medical advice/attention.
- Specific treatment: see first aid measures in section 4.
- 2.3 Description of any hazards not otherwise classified None
- 2.4 >1% of mixture with unknown acute toxicity None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixture

### **Hazardous Components**

Component		Concentration
Name	Acetic Acid Glacial	
CAS-No.	64-19-7	1%



# SAFETY DATA SHEET (SDS)

## Revision Date: 10/16/2017

Version 1.4

### 4.1 Description of necessary measures

### Inhalation (breathing)

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

### **Skin Contact**

IF ON SKIN: Gently wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

### **Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

### Ingestion (swallowed)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Rinse mouth.

- **4.2** Most important symptoms and or effects, acute and delayed The most important symptoms/effects are presented in Section 2 and or Section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### 5. FIRE-FIGHTING MEASURES

- **5.1** Suitable extinguishing media Carbon dioxide, dry chemical, water spray, alcohol-resistant foam.
- 5.2 Specific hazards arising from the substance or mixture No data available

# **5.3 Protective equipment and precautions for fire-fighters** Wear a positive-pressure self-contained breathing apparatus if necessary. Wear chemical resistant clothing as recommended by clothing manufacturer.

NFPA Rating			
Health	Fire	Reactivity	
hazard:	1 hazard:	0 hazard:	0

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Apply personal protective equipment (see Section 8). Use in a properly ventilated area. Avoid breathing vapors. Avoid skin contact. Avoid eye contact. Wash hands after use.

### 6.2 Methods and material for containment and cleaning up

Apply personal protective equipment (see Section 8). Contain spill. Prevent further leakage if possible and safe to do so. Ensure proper ventilation. For small amounts, wipe or absorb spill using inert material and dispose of according to local regulations. For large amounts, evacuate area and limit access. Prevent entry of material into sewage drains and confined areas. Dispose of any contaminated materials according to local regulations.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

7.2 Conditions for safe storage, including any incompatibilities



Part Number: 9177

Revision Date: 10/16/2017

Version 1.4

Refer to Section 2.2 for proper storage temperature. Store the tightly closed container in a cool, dry, well-ventilated area.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

Components with limit values that require monitoring at the workplace

Component	CAS-No.	Regulatory	Value	Parameters
Acetic Acid	64-19-7	OSHA PEL	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	TWA	10 ppm (25 mg/m <sup>3</sup> )
		ACGIH TLV	STEL	15 ppm (37 mg/m <sup>3</sup> )
		NIOSH REL	TWA	10 ppm (25 mg/m <sup>3</sup> )
		NIOSH REL	STEL	15 ppm (37 mg/m <sup>3</sup> )

### 8.2 Exposure Controls

### Appropriate engineering controls

Use in a properly ventilated area. Remove/wash before reuse contaminated clothing. Wash hands upon exiting work premises. Take measures to keep concentrations below acceptable limits.

### 8.3 Personal Protective Equipment

### Eye/Face protection

Wear chemical safety goggles and/or a full face shield if splashing is possible. Keep eye wash fountain nearby.

### **Skin Protection**

Wear chemical-resistant gloves. Gloves should be resistant to components of product. Refer to glove manufacturer for appropriate type and glove thickness.

### **Body Protection**

No data available

### **Respiratory Protection**

Respirators should only be used if the employer has a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

Where the potential exists for exposure over 10 ppm: use a NIOSH approved full facepiece respirator with an organic vapor cartridge. Increased protection is obtained from full facepiece powered-air purifying respirators. If while wearing a filter or cartridge respirator you can smell, taste, or otherwise detect acetic acid, or if while wearing particulate filters abnormal resistance to breathing is experienced, or eye irritation occurs while wearing a full facepiece respirator, leave the area immediately. Check to make sure the respirator-to-face seal is still good. It if is, replace the filter or cartridge. If the seal is no longer good, you may need a new respirator.

Where the potential exists for exposure over 100 ppm, use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.

In case of emergency, entry into or escape from unknown concentrations, select the highest level approved respiratory protection available.

Other Information None

9. PHYSICAL AND CHEMICAL PROPERTIES



SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

### 9.1 Information on basic physical and chemical properties

mornation on basic physical and encinear properties				
Physical state	Colorless liquid			
Odor	Mild vinegar odor			
Odor threshold	No data available			
рН	No data available			
Melting point/freezing point	ca. 0°C (ca. 32°F)			
Initial boiling point and boiling range	ca. 100°C (ca. 32°F)			
Flash point	No data available			
Evaporation rate	No data available			
Flammability (solid, gas)	No data available			
Upper flammability or explosive limits	No data available			
Lower flammability or explosive limits	No data available			
Vapor pressure	No data available			
Vapor density	No data available			
Relative density	No data available			
Solubility(ies)	Infinitely soluble with water			
Partition coefficient: n-octanol/water	No data available			
Auto-ignition temperature	No data available			
Decomposition temperature	No data available			
Viscosity	No data available			

### **10. STABILITY AND REACTIVITY**

**10.1 Reactivity** No data available

### **10.2** Chemical stability

Stable in a closed container within label-specified storage temperature and expiration date.

**10.3 Possibility of hazardous reactions** No data available

10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong oxidizing agents (especially chromic acid, sodium peroxide and nitric acid), strong reducing agents, metals, strong acids, and strong bases.

### 10.6 Hazardous decomposition products

Carbon dioxide and carbon monoxide may be released if product is heated to decomposition.

### 11. TOXICOLOGICAL INFORMATION

# **11.1** Information on toxicological effects Inhalation exposure

Human data (Glacial Acetic Acid): Marked irritation of the eyes, nose, and upper respiratory tract which could not be tolerated for more than 3 minutes was noted at 816 to 1,226 ppm.

**Oral exposure** No data available

**Dermal exposure** No data available

Skin corrosion/irritation

Contact with glacial acetic acid can severely irritate and burn the skin.

Serious eye damage/irritation

# ͶϴϢϲϘϺϴΓʹʹ

### Part Number: 9177

SAFETY DATA SHEET (SDS)

Revision Date: 10/16/2017

Version 1.4

Contact can severely irritate and burn the eyes, leading to eye damage.

### **Respiratory or skin sensitization**

Glacial Acetic Acid: It has been stated that repeated exposures to high concentrations may produce respiratory tract irritation with pharyngeal edema and chronic bronchitis.

Germ cell mutagenicity No data available

**Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

### Acute toxicity

Glacial Acetic Acid: LD50 rat oral 3310 mg/kg LD50 rabbit skin 1060uL/kg LD50 mouse intravenous 525mg/kg LC50 mouse inhalation 5620ppm/1H

### Carcinogencity

IARC: None of the components are listed NTP: None of the components are listed OSHA: None of the components are listed

### **Additional information**

RTECS: No data available

### 12. ECOLOGICAL INFORMATION

- **12.1 Ecotoxicity** No data available
- **12.2** Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4** Mobility in soil No data available
- **12.5** Other adverse effects No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste disposal methods

### Contents

Dispose of contents in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging** www.newcomersupply.com



### Part Number: 9177

14

Revision Date: 10/16/2017

Version 1.4

Dispose of packaging in a safe manner to comply with local, state and federal regulations. Contact a licensed professional waste disposal service to dispose of this material.

### 14. TRANSPORT INFORMATION

<b>.1</b>	DOT (US)	
	UN-Number	xx
	Proper shipping name	xx
	Hazard class	xx
	Packing group	xx
	Environmental hazards	No data available

### **15. REGULATORY INFORMATION**

**15.1** No data available

### **16. OTHER INFORMATION**

Preparation Information Newcomer Supply Inc. 800-383-7799 <u>www.newcomersupply.com</u> Copyright © Newcomer Supply Inc. All rights reserved.