

Hematoxylin Stain, Harris Modified - Technical Memo

STAIN SOLUTION:

Hematoxylin Stain, Harris Modified	Part 1201A 500ml	Part 1201B 1 Liter	Part 1201C 1 Gallon
------------------------------------	----------------------------	------------------------------	-------------------------------

Additionally Needed For H&E Staining:

Hematoxylin and Eosin (H&E) Control Slides	Part 4278		
Xylene, ACS	Part 1445		
Alcohol, Ethyl Denatured, 100%	Part 10841		
Alcohol, Ethyl Denatured, 95%	Part 10842		
Acid Alcohol 1%	Part 10011		
Lithium Carbonate, Saturated Aqueous	Part 12215	or	Scott Tap Water Substitute
Alcohol, Ethyl Denatured, 70%	Part 10844		Part 1380
Eosin Y Working Solution	Part 1072	or	Eosin-Phloxine Stain Set
			Part 1082

For storage requirements and expiration date refer to individual product labels.

APPLICATION:

Newcomer Supply Hematoxylin Stain, Harris Modified is a ready to use regressive hematoxylin that does not require filtering, is mercury-free and can be used in either manual or automated staining platforms. This modified Harris formulation contains glacial acetic acid for more precise nuclear staining and ethylene glycol to increase solution stability and reduce surface precipitate.

Hematoxylin and eosin (H&E) staining is used for screening specimens in anatomic pathology, for research, smears, touch preps and other applications. Its two primary coloring agents stain all cellular material; nuclei (blue), and cytoplasmic elements (pink-red). Popularity of this stain is due to its simplicity, ability to clearly demonstrate a variety of tissue components, dependability, repeatability, and speed of use.

Quality Control: Since hematoxylin and eosin staining is the foundation of the diagnostic process, maintaining quality is of critical importance. Procedures will vary between laboratories depending upon volume of slides, automation vs manual staining, chemical hygiene and solution integrity. Longevity of hematoxylin depends upon these factors and stain quality should be regularly screened with an H&E control slide.

METHOD:

Fixation: Formalin 10%, Phosphate Buffered (Part 1090)

Technique: Paraffin sections cut at 4 microns

Solutions: All solutions are manufactured by Newcomer Supply, Inc.

H&E STAINING PROCEDURE WITH HARRIS MODIFIED:

- If necessary, heat dry tissue sections/slides in oven.
- Deparaffinize sections thoroughly in three changes of xylene, 3 minutes each. Hydrate through two changes each of 100% and 95% ethyl alcohols, 10 dips each. Wash well with distilled water.
 - See Procedure Notes #1 and #2.
- Stain with Hematoxylin Stain, Harris Modified, 1 to 5 minutes, depending on preference of nuclear stain intensity.
- Wash well in three changes of tap water.
- Differentiate quickly in Acid Alcohol 1% (10011).
 - Nuclei should be distinct and background very light to colorless.
- Rinse well in three changes of tap water.
- Blue in Lithium Carbonate, Saturated Aqueous (12215) or Scott Tap Water Substitute (1380) for 10 dips.
- Wash in three changes of tap water; rinse in distilled water.
- Drain excess water; proceed to 70% alcohol for 10 dips.

- Counterstain in Eosin Y Working Solution (1072) or prepared Eosin-Phloxine Working Solution (1082) for 30 seconds to 3 minutes, depending on preference of intensity.
- Dehydrate in two changes of 95% ethyl alcohol for 1 minute each and two changes of 100% ethyl alcohol, 10 dips each. Clear in three changes of xylene, 10 dips each; coverslip with compatible mounting medium.

RESULTS:

Nuclei	Blue
Erythrocytes and eosinophilic granules	Bright pink to red
Cytoplasm and other tissue elements	Various shades of pink

PROCEDURE NOTES:

- Drain slides after each step to prevent solution carry over.
- Do not allow sections to dry out at any point during procedure.
- Store hematoxylin at room temperature in tightly capped container away from direct light to minimize oxidation and extend shelf life.
- If using a xylene substitute, closely follow the manufacturer's recommendations for deparaffinization and clearing steps.

REFERENCES:

- Bancroft, John D., and Marilyn Gamble. *Theory and Practice of Histological Techniques*. 6th ed. Oxford: Churchill Livingstone Elsevier, 2008. 123-125.
- Carson, Freida L., and Christa Hladik Cappellano. *Histotechnology: A Self-instructional Text*. 4th ed. Chicago: ASCP Press, 2015. 113-114, 118-120.
- Sheehan, Dezna C., and Barbara B. Hrapchak. *Theory and Practice of Histotechnology*. 2nd ed. St. Louis: Mosby, 1980. 142-144, 153-154.
- Modifications developed by Newcomer Supply Laboratory.